

Phone : 66 2286 0922
FAX : 66 2287 4060
AFTN : VTBAYOYX
E-mail : aisthai@aviation.go.th

DEPARTMENT OF CIVIL AVIATION
AERONAUTICAL INFORMATION SERVICE
TUNG-MAHAMEK, BANGKOK 10120
THAILAND.

AIP - THAILAND
Amendment 7
28 JUL 11

-
1. Insert the attached replacement pages. The checklist (GEN 0.4-1 TO GEN 0.4-9) gives lists of pages that are current in the whole AIP after the incorporation of this amendment. New or replacement pages are indicated with an asterisk (*). Amended text has been identified by a vertical line, or an arrow in the margin of the replacement pages.
 2. Record entry of amendment on page GEN 0.2-1
 3. This amendment incorporates information contained in the following which are hereby superseded:

NOTAM 2011

C4706
C5087 / A2328

C5126

AIP Supplement : Series "A"
2011 : A3, A5

AIP Supplement : Series "B"
2011 : B1

GEN 0.4 CHECKLIST OF AIP PAGES
(* DENOTES NEW OR REPLACEMENT PAGES)

Page	Date	Page	Date	Page	Date
PART 1-GENERAL (GEN)		2.2-5	18 Nov 10	3.4-8	10 Dec 08
GEN 0		2.2-6	18 Nov 10	3.4-9	10 Dec 08
0.1-1	10 Dec 08	2.2-7	18 Nov 10	3.5-1	10 Dec 08
0.1-2	10 Dec 08	2.2-8	18 Nov 10	3.5-2	29 Jul 10
0.1-3	10 Dec 08	2.2-9	18 Nov 10	3.5-3	29 Jul 10
0.2-1	10 Dec 08	2.2-10	18 Nov 10	3.5-4	29 Jul 10
0.3-1	10 Dec 08	2.2-11	18 Nov 10	3.5-5	10 Dec 08
*0.4-1	28 Jul 11	2.3-1	10 Dec 08	3.5-6	10 Dec 08
*0.4-2	28 Jul 11	2.3-2	10 Dec 08	3.5-7	10 Dec 08
*0.4-3	28 Jul 11	2.3-3	10 Dec 08	3.5-8/Chart	10 Dec 08
*0.4-4	28 Jul 11	2.4-1	29 Jul 10	3.6-1	10 Dec 08
*0.4-5	28 Jul 11	2.4-2	29 Jul 10	3.6-2	10 Dec 08
*0.4-6	28 Jul 11	2.5-1	10 Dec 08	3.6-3	10 Dec 08
*0.4-7	28 Jul 11	2.5-2	10 Dec 08	3.6-4/Chart	10 Dec 08
*0.4-8	28 Jul 11	2.6-1	10 Dec 08	GEN 4	
*0.4-9	28 Jul 11	2.6-2	10 Dec 08	4.1-1	29 Jul 10
0.5-1	10 Dec 08	2.7-1	10 Dec 08	4.1-2	29 Jul 10
0.6-1	10 Dec 08	GEN 3		4.1-3	29 Jul 10
0.6-2	10 Dec 08	3.1-1	29 Jul 10	4.2-1	29 Jul 10
GEN 1		3.1-2	10 Dec 08	4.2-2	29 Jul 10
1.1-1	18 Nov 10	3.1-3	10 Dec 08	4.2-3	29 Jul 10
1.1-2	10 Dec 08	3.1-4	18 Nov 10	4.2-4	29 Jul 10
1.2-1	18 Nov 10	3.1-5	29 Jul 10	4.2-5	29 Jul 10
1.2-2	18 Nov 10	3.2-1	10 Dec 08	4.2-6	11 Mar 10
1.2-3	10 Dec 08	3.2-2	10 Dec 08	PART 2-EN-ROUTE(ENR)	
1.2-4	10 Dec 08	3.2-3	19 Nov 09	ENR 0	
1.3-1	18 Nov 10	3.2-4	10 Dec 08	0.6-1	19 Nov 09
1.3-2	18 Nov 10	3.2-5	10 Dec 08	0.6-2	10 Dec 08
*1.3-3	28 Jul 11	3.2-6	10 Dec 08	ENR 1	
*1.3-4	28 Jul 11	3.2-7	10 Dec 08	1.1-1	10 Dec 08
*1.3-5	28 Jul 11	3.2-8	10 Dec 08	1.2-1	10 Dec 08
1.4-1	18 Nov 10	3.2-9	10 Dec 08	1.2-2	10 Dec 08
1.4-2	18 Nov 10	3.2-10	10 Dec 08	1.2-3	10 Dec 08
1.4-3	18 Nov 10	3.2-11	10 Dec 08	1.2-4	10 Dec 08
1.4-4	18 Nov 10	3.2-13	10 Dec 08	1.2-5	10 Dec 08
1.5-1	10 Dec 08	3.3-1	10 Dec 08	1.2-6	10 Dec 08
1.6-1	10 Dec 08	3.3-2	10 Dec 08	*1.2-7	28 Jul 11
1.7-1	29 Jul 10	3.3-3	10 Dec 08	1.3-1	10 Dec 08
1.7-2	11 Mar 10	3.3-4	10 Dec 08	1.4-1	10 Dec 08
GEN 2		3.4-1	10 Dec 08	1.4-2	10 Dec 08
2.1-1	10 Dec 08	3.4-2	10 Dec 08	1.5-1	10 Dec 08
2.1-2	29 Jul 10	3.4-3	10 Dec 08	1.6-1	29 Jul 10
2.2-1	30 Jul 09	3.4-4	10 Dec 08	1.6-2	29 Jul 10
2.2-2	18 Nov 10	3.4-5	10 Dec 08	1.6-3	10 Dec 08
2.2-3	18 Nov 10	3.4-6	10 Dec 08	1.6-4	10 Dec 08
2.2-4	18 Nov 10	3.4-7	10 Dec 08	1.6-5	11 Mar 10

GEN 0.4 CHECKLIST OF AIP PAGES
(* DENOTES NEW OR REPLACEMENT PAGES)

Page	Date	Page	Date	Page	Date
1.6-6	10 Dec 08	1.14-8	10 Dec 08	ENR 3	
1.6-7	19 Nov 09	1.14-9	10 Dec 08	3.1-1	29 Jul 10
1.6-9/Chart	10 Dec 08	ENR 2		3.1-2	18 Nov 10
1.7-1	10 Dec 08	2.1-1	11 Mar 10	3.1-3	30 Jul 09
1.7-2	10 Dec 08	2.1-2	10 Dec 08	3.1-4	10 Mar 11
1.7-3	10 Dec 08	2.1-3	10 Dec 08	3.1-5	10 Dec 08
1.8-1	10 Dec 08	2.1-4	10 Dec 08	3.1-6	10 Dec 08
1.8-2	10 Dec 08	2.1-5	10 Dec 08	3.1-7	11 Mar 10
1.8-3	10 Dec 08	2.1-6	11 Mar 10	3.1-8	10 Dec 08
1.8-4	10 Dec 08	2.1-7	11 Mar 10	3.1-9	10 Dec 08
1.8-5	10 Dec 08	2.1-8	10 Dec 08	3.1-10	11 Mar 10
1.8-6	10 Dec 08	2.1-9	10 Dec 08	3.1-11	18 Nov 10
1.9-1	19 Nov 09	2.1-10	11 Mar 10	3.1-12	10 Dec 08
1.9-2	19 Nov 09	2.1-11	11 Mar 10	3.1-13	18 Nov 10
1.9-3	19 Nov 09	2.1-12	11 Mar 10	3.1-14	18 Nov 10
1.9-4	19 Nov 09	2.1-13	10 Mar 11	3.1-15	11 Mar 10
1.9-5	19 Nov 09	2.1-14	11 Mar 10	3.1-16	11 Mar 10
1.9-6	19 Nov 09	2.1-15	11 Mar 10	3.1-17	11 Mar 10
1.9-7	19 Nov 09	2.1-16	11 Mar 10	3.1-18	11 Mar 10
1.9-8	19 Nov 09	2.1-17	11 Mar 10	3.1-19/Chart	10 Dec 08
1.9-9	19 Nov 09	2.1-18	11 Mar 10	*3.3-1	28 Jul 11
1.9-10	19 Nov 09	2.1-19	11 Mar 10	3.3-2	11 Mar 10
1.9-11	19 Nov 09	2.1-20	11 Mar 10	*3.3-3	28 Jul 11
1.9-12	19 Nov 09	2.1-21	11 Mar 10	3.6-1	10 Dec 08
1.9-13	19 Nov 09	2.1-22	11 Mar 10	ENR 4	
1.9-14	19 Nov 09	2.1-23	11 Mar 10	4.1-1	11 Mar 10
1.9-15	19 Nov 09	2.1-24	11 Mar 10	4.1-2	11 Mar 10
1.9-16	19 Nov 09	2.1-25	11 Mar 10	4.1-3	11 Mar 10
1.9-17	11 Mar 10	2.1-26	11 Mar 10	4.1-4	18 Nov 10
1.10-1	10 Dec 08	2.1-27	11 Mar 10	4.1-5	18 Nov 10
1.11-1	10 Dec 08	2.1-28	11 Mar 10	4.1-6	18 Nov 10
1.11-2	11 Mar 10	2.1-29	11 Mar 10	4.1-7	18 Nov 10
1.12-1	10 Dec 08	2.2-1	18 Nov 10	4.1-8	11 Mar 10
1.12-2	10 Dec 08	2.2-2	29 Jul 10	4.1-9	11 Mar 10
1.12-3	10 Dec 08	2.2-3	29 Jul 10	4.1-10	11 Mar 10
1.13-1	10 Dec 08	2.2-4	29 Jul 10	4.1-11	10 Mar 11
1.14-1	10 Dec 08	2.2-5	29 Jul 10	4.1-12	10 Mar 11
1.14-2	10 Dec 08	2.2-6	29 Jul 10	4.2-1	10 Dec 08
1.14-3	10 Dec 08	2.2-7	29 Jul 10	4.3-1	11 Mar 10
1.14-4	10 Dec 08	2.2-8	18 Nov 10	4.3-2	11 Mar 10
1.14-5	10 Dec 08	2.2-9	29 Jul 10	4.3-3	11 Mar 10
1.14-6	10 Dec 08	2.2-10	29 Jul 10	4.4-1	29 Jul 10
1.14-7	10 Dec 08	2.2-11	29 Jul 10	4.4-2	29 Jul 10
1.14-8	10 Dec 08	2.2-12	29 Jul 10	ENR 5	
1.14-9	10 Dec 08	2.2-13	29 Jul 10	5.1-1	10 Dec 08

GEN 0.4 CHECKLIST OF AIP PAGES
(* DENOTES NEW OR REPLACEMENT PAGES)

Page	Date	Page	Date	Page	Date
5.1-2	10 Dec 08	1.3-1	29 Jul 10	VTBD AD 2-46/Chart	29 Jul 10
5.1-3	29 Jul 10	1.3-2	10 Dec 08	VTBD AD 2-47/Chart	29 Jul 10
5.1-4	11 Mar 10	1.3-3	10 Dec 08	VTBD AD 2-48/Chart	29 Jul 10
5.1-5	18 Nov 10	1.3-4	10 Dec 08	VTBD AD 2-49/Chart	29 Jul 10
5.1-6	10 Dec 08	1.3-5	10 Dec 08	VTBD AD 2-50/Chart	29 Jul 10
5.1-7	10 Dec 08	1.3-6	10 Dec 08	VTBD AD 2-51/Chart	29 Jul 10
5.1-8	11 Mar 10	1.3-7	10 Dec 08	VTBD AD 2-52/Chart	29 Jul 10
5.1-9	10 Dec 08	1.3-8	10 Dec 08		
5.1-10	10 Dec 08	1.3-9/Chart	10 Dec 08		
5.1-11	10 Dec 08	1.4-1	10 Dec 08		
5.1-12	10 Dec 08				
5.1-13	10 Dec 08				
5.1-14	10 Dec 08	AD 2		CHING MAI / INTL	
5.1-15	10 Dec 08	DON MUEANG / INTL		*VTCC AD 2-1	28 Jul 11
*5.1-16	28 Jul 11	VTBD AD 2-1	30 Jul 09	VTCC AD 2-2	10 Dec 08
5.1-17	10 Dec 08	VTBD AD 2-2	11 Mar 10	VTCC AD 2-3	29 Jul 10
5.2-1	10 Dec 08	VTBD AD 2-3	30 Jul 09	VTCC AD 2-4	10 Dec 08
5.3-1	10 Dec 08	VTBD AD 2-4	10 Dec 08	VTCC AD 2-5	10 Dec 08
5.4-1	10 Dec 08	VTBD AD 2-5	10 Dec 08	VTCC AD 2-6	10 Dec 08
5.5-1	10 Dec 08	VTBD AD 2-6	30 Jul 09	VTCC AD 2-7	10 Dec 08
5.6-1	10 Dec 08	VTBD AD 2-7	30 Jul 09	VTCC AD 2-8	10 Dec 08
ENR 6		VTBD AD 2-8	29 Jul 10	*VTCC AD 2-9	28 Jul 11
6-1	10 Dec 08	VTBD AD 2-9	30 Jul 09	*VTCC AD 2-10	28 Jul 11
PART 3 AERODROME (AD)		VTBD AD 2-10	10 Dec 08	*VTCC AD 2-11	28 Jul 11
AD 0		VTBD AD 2-11	30 Jul 09	VTCC AD 2-12	10 Dec 08
0.6-1	10 Dec 08	VTBD AD 2-12	30 Jul 09	VTCC AD 2-13	10 Dec 08
0.6-2	29 Jul 10	VTBD AD 2-13	10 Dec 08	*VTCC AD 2-14	28 Jul 11
0.6-3	29 Jul 10	VTBD AD 2-14	10 Mar 11	*VTCC AD 2-15	28 Jul 11
0.6-4	29 Jul 10	VTBD AD 2-15	11 Mar 10	VTCC AD 2-16	30 Jul 09
0.6-5	10 Dec 08	VTBD AD 2-16	29 Jul 10	VTCC AD 2-17	10 Dec 08
0.6-6	10 Dec 08	VTBD AD 2-17	29 Jul 10	*VTCC AD 2-19	28 Jul 11
0.6-7	10 Dec 08	VTBD AD 2-18	29 Jul 10	VTCC AD 2-21/Chart	10 Dec 08
0.6-8	30 Jul 09	VTBD AD 2-19	29 Jul 10	VTCC AD 2-23/Chart	10 Dec 08
0.6-9	10 Dec 08	VTBD AD 2-20	29 Jul 10	VTCC AD 2-25/Chart	10 Dec 08
0.6-10	10 Dec 08	VTBD AD 2-21	29 Jul 10	VTCC AD 2-27/Chart	10 Dec 08
0.6-11	10 Dec 08	VTBD AD 2-22	29 Jul 10	VTCC AD 2-29/Chart	10 Dec 08
0.6-12	10 Dec 08	VTBD AD 2-23	29 Jul 10	VTCC AD 2-31/Chart	10 Dec 08
0.6-13	10 Dec 08	VTBD AD 2-25	29 Jul 10	VTCC AD 2-32/Chart	10 Dec 08
0.6-14	10 Dec 08	VTBD AD 2-27	18 Nov 10	VTCC AD 2-33/Chart	10 Dec 08
0.6-15	10 Dec 08	VTBD AD 2-29/Chart	18 Nov 10	VTCC AD 2-34/Chart	10 Dec 08
0.6-16	10 Dec 08	VTBD AD 2-31/Chart	29 Jul 10	VTCC AD 2-35/Chart	10 Dec 08
0.6-17	30 Jul 09	VTBD AD 2-33/Chart	29 Jul 10	VTCC AD 2-36/Chart	10 Dec 08
0.6-18	30 Jul 09	VTBD AD 2-35/Chart	29 Jul 10	VTCC AD 2-39/Chart	10 Dec 08
AD 1		VTBD AD 2-37/Chart	29 Jul 10	VTCC AD 2-43/Chart	10 Dec 08
1.1-1	29 Jul 10	VTBD AD 2-39/Chart	29 Jul 10	VTCC AD 2-44/Chart	10 Dec 08
1.1-2	10 Dec 08	VTBD AD 2-41/Chart	29 Jul 10		
1.1-3	10 Dec 08	VTBD AD 2-43/Chart	29 Jul 10		
1.2-1	29 Jul 10	VTBD AD 2-45/Chart	29 Jul 10		

GEN 0.4 CHECKLIST OF AIP PAGES
(* DENOTES NEW OR REPLACEMENT PAGES)

Page	Date	Page	Date	Page	Date
VTCC AD 2-45/Chart	29 Jul 10	VTSP AD 2-19	11 Mar 10	VTBS AD 2-25	19 Nov 09
		VTSP AD 2-20	11 Mar 10	VTBS AD 2-26	10 Dec 08
		VTSP AD 2-21	10 Mar 11	VTBS AD 2-27	10 Dec 08
		VTSP AD 2-23/Chart	10 Mar 11	VTBS AD 2-28	10 Dec 08
		VTSP AD 2-25/Chart	10 Dec 08	VTBS AD 2-29	10 Dec 08
MAE FAH LUANG-CHIANG RAI / INTL		VTSP AD 2-27/Chart	10 Mar 11	VTBS AD 2-30	10 Dec 08
*VTCT AD 2-1	28 Jul 11	VTSP AD 2-29/Chart	10 Mar 11	VTBS AD 2-31	10 Dec 08
*VTCT AD 2-2	28 Jul 11	VTSP AD 2-31/Chart	10 Dec 08	VTBS AD 2-32	10 Dec 08
*VTCT AD 2-3	28 Jul 11	VTSP AD 2-33/Chart	10 Dec 08	VTBS AD 2-33	10 Dec 08
*VTCT AD 2-4	28 Jul 11	VTSP AD 2-34/Chart	10 Dec 08	VTBS AD 2-34	10 Dec 08
*VTCT AD 2-5	28 Jul 11	VTSP AD 2-35/Chart	10 Dec 08	VTBS AD 2-35	10 Dec 08
*VTCT AD 2-6	28 Jul 11	VTSP AD 2-37/Chart	10 Dec 08	VTBS AD 2-36	10 Dec 08
VTCT AD 2-7	29 Jul 10	VTSP AD 2-38/Chart	10 Dec 08	VTBS AD 2-37	10 Dec 08
VTCT AD 2-8	10 Dec 08	VTSP AD 2-39/Chart	10 Dec 08	VTBS AD 2-38	10 Dec 08
VTCT AD 2-9	10 Dec 08	VTSP AD 2-40/Chart	10 Dec 08	VTBS AD 2-39	10 Dec 08
VTCT AD 2-11/Chart	10 Dec 08	VTSP AD 2-41/Chart	10 Dec 08	VTBS AD 2-40	10 Dec 08
VTCT AD 2-13/Chart	10 Dec 08	VTSP AD 2-43/Chart	29 Jul 10	VTBS AD 2-41	10 Dec 08
VTCT AD 2-15/Chart	10 Dec 08	VTSP AD 2-45/Chart	29 Jul 10	VTBS AD 2-42	10 Dec 08
VTCT AD 2-17/Chart	10 Dec 08	VTSP AD 2-47	29 Jul 10	VTBS AD 2-43	10 Dec 08
VTCT AD 2-19/Chart	10 Dec 08			VTBS AD 2-44	10 Dec 08
VTCT AD 2-20/Chart	10 Dec 08			VTBS AD 2-45	10 Dec 08
VTCT AD 2-21/Chart	10 Dec 08			VTBS AD 2-46	10 Dec 08
VTCT AD 2-23/Chart	10 Dec 08			VTBS AD 2-47	10 Dec 08
VTCT AD 2-25/Chart	10 Dec 08	SUVARNABHUMI / INTL		VTBS AD 2-48	10 Dec 08
		VTBS AD 2-1	10 Dec 08	VTBS AD 2-49	10 Dec 08
		VTBS AD 2-2	10 Dec 08	VTBS AD 2-50	10 Dec 08
		VTBS AD 2-3	10 Dec 08	VTBS AD 2-51	10 Dec 08
		VTBS AD 2-4	10 Dec 08	VTBS AD 2-52	10 Dec 08
PHUKET / INTL		VTBS AD 2-5	10 Dec 08	VTBS AD 2-53	10 Dec 08
VTSP AD 2-1	10 Dec 08	VTBS AD 2-6	10 Dec 08	VTBS AD 2-54	10 Dec 08
VTSP AD 2-2	29 Jul 10	VTBS AD 2-7	10 Dec 08	VTBS AD 2-55	10 Dec 08
VTSP AD 2-3	18 Nov 10	VTBS AD 2-8	10 Dec 08	VTBS AD 2-56	10 Dec 08
VTSP AD 2-4	10 Dec 08	VTBS AD 2-9	10 Dec 08	VTBS AD 2-57	10 Dec 08
VTSP AD 2-5	10 Dec 08	VTBS AD 2-10	10 Dec 08	VTBS AD 2-58	10 Dec 08
VTSP AD 2-6	10 Dec 08	VTBS AD 2-11	10 Dec 08	VTBS AD 2-59	10 Dec 08
VTSP AD 2-7	10 Dec 08	VTBS AD 2-12	10 Mar 11	VTBS AD 2-60	10 Dec 08
VTSP AD 2-8	10 Dec 08	VTBS AD 2-13	10 Dec 08	VTBS AD 2-61	10 Dec 08
VTSP AD 2-9	10 Dec 08	VTBS AD 2-14	10 Dec 08	VTBS AD 2-62	10 Dec 08
VTSP AD 2-10	10 Dec 08	VTBS AD 2-15	10 Dec 08	VTBS AD 2-63	10 Dec 08
VTSP AD 2-11	10 Dec 08	VTBS AD 2-16	10 Mar 11	VTBS AD 2-64	10 Dec 08
VTSP AD 2-12	29 Jul 10	VTBS AD 2-17	10 Dec 08	VTBS AD 2-65	10 Dec 08
VTSP AD 2-13	10 Mar 11	VTBS AD 2-18	10 Dec 08	VTBS AD 2-66	10 Dec 08
VTSP AD 2-14	18 Nov 10	VTBS AD 2-19	18 Nov 10	VTBS AD 2-67	10 Dec 08
VTSP AD 2-15	10 Dec 08	VTBS AD 2-20	10 Dec 08	VTBS AD 2-68	10 Dec 08
VTSP AD 2-16	10 Dec 08	VTBS AD 2-21	11 Mar 10	VTBS AD 2-69	10 Dec 08
VTSP AD 2-17	11 Mar 10	VTBS AD 2-23	10 Dec 08	VTBS AD 2-70	10 Dec 08
VTSP AD 2-18	11 Mar 10	VTBS AD 2-24	10 Dec 08	VTBS AD 2-71	10 Dec 08

GEN 0.4 CHECKLIST OF AIP PAGES
(* DENOTES NEW OR REPLACEMENT PAGES)

Page	Date	Page	Date	Page	Date
VTBS AD 2-72	10 Dec 08	VTBS AD 2-148	10 Dec 08	VTBU AD 2-10	10 Dec 08
VTBS AD 2-73	10 Dec 08	VTBS AD 2-149/Chart	10 Dec 08	VTBU AD 2-11	10 Dec 08
VTBS AD 2-74	10 Dec 08	VTBS AD 2-150	10 Dec 08	VTBU AD 2-12	10 Dec 08
VTBS AD 2-75	11 Mar 10	VTBS AD 2-151/Chart	10 Dec 08	VTBU AD 2-13	29 Jul 10
VTBS AD 2-76	11 Mar 10	VTBS AD 2-152	10 Dec 08	VTBU AD 2-14	10 Dec 08
VTBS AD 2-77	11 Mar 10	VTBS AD 2-153/Chart	10 Dec 08	VTBU AD 2-15	10 Dec 08
VTBS AD 2-78	10 Dec 08	VTBS AD 2-154	10 Dec 08	VTBU AD 2-17/Chart	10 Dec 08
VTBS AD 2-79	10 Dec 08	VTBS AD 2-155/Chart	10 Dec 08	VTBU AD 2-19/Chart	10 Dec 08
VTBS AD 2-80	10 Dec 08	VTBS AD 2-156	10 Dec 08	VTBU AD 2-21/Chart	10 Dec 08
VTBS AD 2-81	10 Dec 08	VTBS AD 2-157	10 Dec 08	VTBU AD 2-23/Chart	10 Dec 08
VTBS AD 2-82	10 Dec 08	VTBS AD 2-159	10 Dec 08	VTBU AD 2-25/Chart	10 Dec 08
VTBS AD 2-83	10 Dec 08	VTBS AD 2-161/Chart	10 Dec 08	VTBU AD 2-26/Chart	10 Dec 08
VTBS AD 2-84	10 Dec 08	VTBS AD 2-162	10 Dec 08	VTBU AD 2-27/Chart	10 Dec 08
VTBS AD 2-85	11 Mar 10	VTBS AD 2-163/Chart	10 Dec 08		
VTBS AD 2-86	10 Mar 11	VTBS AD 2-164	10 Dec 08		
VTBS AD 2-87	10 Dec 08	VTBS AD 2-165/Chart	10 Dec 08		
VTBS AD 2-88	10 Dec 08	VTBS AD 2-166	10 Dec 08		
VTBS AD 2-89	29 JUL 10	VTBS AD 2-167/Chart	10 Dec 08	HAT YAI / INTL	
VTBS AD 2-91	10 Dec 08	VTBS AD 2-168	10 Dec 08	VTSS AD 2-1	10 Mar 11
VTBS AD 2-93	10 Mar 11	VTBS AD 2-169/Chart	10 Dec 08	VTSS AD 2-2	29 Jul 10
VTBS AD 2-95/Chart	10 Mar 11	VTBS AD 2-170	10 Dec 08	VTSS AD 2-3	10 Mar 11
VTBS AD 2-97/Chart	10 Mar 11	VTBS AD 2-171	10 Dec 08	VTSS AD 2-4	10 Mar 11
VTBS AD 2-99/Chart	10 Mar 11	VTBS AD 2-173	10 Dec 08	VTSS AD 2-5	10 Dec 08
VTBS AD 2-101/Chart	10 Mar 11	VTBS AD 2-175/Chart	11 Mar 10	VTSS AD 2-6	10 Dec 08
VTBS AD 2-103/Chart	10 Mar 11	VTBS AD 2-176	11 Mar 10	VTSS AD 2-7	10 Dec 08
VTBS AD 2-105/Chart	10 Mar 11	VTBS AD 2-177/Chart	29 Jul 10	VTSS AD 2-8	29 Jul 10
VTBS AD 2-107/Chart	10 Mar 11	VTBS AD 2-178	29 Jul 10	VTSS AD 2-9	10 Dec 08
VTBS AD 2-109/Chart	10 Mar 11	VTBS AD 2-179/Chart	29 Jul 10	VTSS AD 2-10	30 Jul 09
VTBS AD 2-111/Chart	10 Mar 11	VTBS AD 2-181/Chart	29 Jul 10	VTSS AD 2-11	30 Jul 09
VTBS AD 2-113/Chart	10 Mar 11	VTBS AD 2-183/Chart	11 Mar 10	VTSS AD 2-13	10 Dec 08
VTBS AD 2-115/Chart	10 Dec 08	VTBS AD 2-185/Chart	29 Jul 10	VTSS AD 2-15	10 Mar 11
VTBS AD 2-117/Chart	10 Dec 08	VTBS AD 2-187/Chart	11 Mar 10	VTSS AD 2-17/Chart	10 Mar 11
VTBS AD 2-119/Chart	10 Dec 08	VTBS AD 2-189/Chart	11 Mar 10	VTSS AD 2-19/Chart	10 Mar 11
VTBS AD 2-121/Chart	10 Dec 08			VTSS AD 2-21/Chart	10 Mar 11
VTBS AD 2-123/Chart	10 Dec 08			VTSS AD 2-23/Chart	10 Dec 08
VTBS AD 2-125/Chart	10 Dec 08			VTSS AD 2-25/Chart	10 Dec 08
VTBS AD 2-127/Chart	10 Dec 08			VTSS AD 2-27/Chart	19 Nov 09
VTBS AD 2-129/Chart	10 Dec 08	U-TAPAO PATTAYA / INTL		VTSS AD 2-29/Chart	19 Nov 09
VTBS AD 2-131/Chart	10 Dec 08	VTBU AD 2-1	29 Jul 10	VTSS AD 2-31/Chart	19 Nov 09
VTBS AD 2-133/Chart	10 Dec 08	VTBU AD 2-2	10 Dec 08	VTSS AD 2-33/Chart	19 Nov 09
VTBS AD 2-135	10 Dec 08	VTBU AD 2-3	10 Dec 08	VTSS AD 2-35/Chart	19 Nov 09
VTBS AD 2-137/Chart	10 Dec 08	VTBU AD 2-4	10 Dec 08		
VTBS AD 2-139/Chart	10 Dec 08	VTBU AD 2-5	10 Dec 08		
VTBS AD 2-141/Chart	10 Dec 08	VTBU AD 2-6	29 Jul 10		
VTBS AD 2-143/Chart	10 Dec 08	VTBU AD 2-7	29 Jul 10		
VTBS AD 2-145	10 Dec 08	VTBU AD 2-8	10 Dec 08	BURI RAM	
VTBS AD 2-147/Chart	10 Dec 08	VTBU AD 2-9	29 Jul 10	*VTUO AD 2-1	28 Jul 11

GEN 0.4 CHECKLIST OF AIP PAGES
(* DENOTES NEW OR REPLACEMENT PAGES)

Page	Date	Page	Date	Page	Date
VTUO AD 2-2	10 Dec 08			LOP BURI/Khok Kathiam (MIL)	
VTUO AD 2-3	10 Dec 08			VTBL AD 2-1	10 Dec 08
VTUO AD 2-4	10 Dec 08	KRABI		VTBL AD 2-2	10 Dec 08
VTUO AD 2-5	10 Dec 08	*VTSG AD 2-1	28 Jul 11	VTBL AD 2-3	10 Dec 08
VTUO AD 2-6	10 Dec 08	VTSG AD 2-2	18 Nov 10	VTBL AD 2-4	10 Dec 08
VTUO AD 2-7	30 Jul 09	VTSG AD 2-3	10 Dec 08	VTBL AD 2-5	10 Dec 08
VTUO AD 2-8	10 Dec 08	VTSG AD 2-4	18 Nov 10	VTBL AD 2-6	10 Dec 08
VTUO AD 2-9	10 Dec 08	VTSG AD 2-5	30 Jul 09		
VTUO AD 2-11/Chart	10 Dec 08	VTSG AD 2-6	11 Mar 10	MAE HONG SON	
VTUO AD 2-13/Chart	10 Dec 08	VTSG AD 2-7	30 Jul 09	*VTCH AD 2-1	28 Jul 11
VTUO AD 2-15/Chart	10 Dec 08	*VTSG AD 2-8	28 Jul 11	VTCH AD 2-2	10 Dec 08
VTUO AD 2-16/Chart	10 Dec 08	VTSG AD 2-9	30 Jul 09	VTCH AD 2-3	30 Jul 09
VTUO AD 2-17/Chart	10 Dec 08	VTSG AD 2-11/Chart	10 Dec 08	VTCH AD 2-4	10 Dec 08
VTUO AD 2-18/Chart	10 Dec 08	VTSG AD 2-13/Chart	10 Dec 08	VTCH AD 2-5	10 Dec 08
		VTSG AD 2-15/Chart	10 Dec 08	VTCH AD 2-6	10 Dec 08
		VTSG AD 2-19/Chart	10 Dec 08	VTCH AD 2-7	30 Jul 09
CHUMPHON		VTSG AD 2-20/Chart	10 Dec 08	VTCH AD 2-9/Chart	10 Dec 08
*VTSE AD 2-1	28 Jul 11	VTSG AD 2-21/Chart	10 Dec 08	VTCH AD 2-11/Chart	10 Dec 08
VTSE AD 2-2	10 Dec 08				
VTSE AD 2-3	10 Dec 08				
VTSE AD 2-4	10 Dec 08	LAMPANG		MAE HONG SON / Pai	
VTSE AD 2-5	10 Dec 08	*VTCL AD 2-1	28 Jul 11	*VTCI AD 2-1	28 Jul 11
VTSE AD 2-6	10 Dec 08	VTCL AD 2-2	10 Dec 08	VTCI AD 2-2	10 Dec 08
VTSE AD 2-7	30 Jul 09	VTCL AD 2-3	10 Dec 08	VTCI AD 2-3	10 Dec 08
VTSE AD 2-9	10 Dec 08	*VTCL AD 2-4	28 Jul 11	VTCI AD 2-4	10 Dec 08
VTSE AD 2-11/Chart	10 Dec 08	VTCL AD 2-5	10 Dec 08	VTCI AD 2-5	10 Dec 08
VTSE AD 2-13/Chart	10 Dec 08	VTCL AD 2-6	30 Jul 09	VTCI AD 2-6	10 Dec 08
VTSE AD 2-14/Chart	10 Dec 08	VTCL AD 2-7	10 Dec 08	VTCI AD 2-7	10 Dec 08
VTSE AD 2-15/Chart	10 Dec 08	VTCL AD 2-9 / Chart	10 Dec 08	VTCI AD 2-9	10 Dec 08
VTSE AD 2-16/Chart	10 Dec 08	VTCL AD 2-11 / Chart	10 Dec 08		
		VTCL AD 2-12 / Chart	10 Dec 08		
		VTCL AD 2-13 / Chart	10 Dec 08	NAKHON PATHOM/Kamphaeng Saen (MIL)	
KHON KAEN		VTCL AD 2-14 / Chart	10 Dec 08	VTBK AD 2-1	10 Dec 08
*VTUK AD 2-1	28 Jul 11	VTCL AD 2-15 / Chart	10 Dec 08	VTBK AD 2-2	10 Dec 08
VTUK AD 2-2	10 Dec 08			VTBK AD 2-3	10 Dec 08
VTUK AD 2-3	10 Dec 08	LOEI		VTBK AD 2-4	10 Dec 08
VTUK AD 2-4	10 Dec 08	*VTUL AD 2-1	28 Jul 11	VTBK AD 2-5	10 Dec 08
VTUK AD 2-5	10 Dec 08	VTUL AD 2-2	10 Dec 08	VTBK AD 2-6	30 Jul 09
VTUK AD 2-6	10 Dec 08	VTUL AD 2-3	10 Dec 08		
VTUK AD 2-7	10 Dec 08	VTUL AD 2-4	10 Dec 08	NAKHON PHANOM	
VTUK AD 2-9	10 Dec 08	VTUL AD 2-5	18 Nov 10	*VTUW AD 2-1	28 Jul 11
VTUK AD 2-11	10 Dec 08	VTUL AD 2-7	10 Dec 08	VTUW AD 2-2	10 Dec 08
VTUK AD 2-13/Chart	10 Dec 08	VTUL AD 2-9/Chart	10 Dec 08	VTUW AD 2-3	30 Jul 09
VTUK AD 2-15/Chart	10 Dec 08	VTUL AD 2-11/Chart	10 Dec 08	VTUW AD 2-4	11 Mar 10
VTUK AD 2-17/Chart	10 Dec 08			VTUW AD 2-5	30 Jul 09
VTUK AD 2-18/Chart	10 Dec 08			VTUW AD 2-6	30 Jul 09
VTUK AD 2-19/Chart	10 Dec 08				

GEN 0.4 CHECKLIST OF AIP PAGES
(* DENOTES NEW OR REPLACEMENT PAGES)

Page	Date	Page	Date	Page	Date
VTUW AD 2-7	10 Dec 08	VTPI AD 2-5	10 Dec 08	VTSC AD 2-11/Chart	10 Dec 08
VTUW AD 2-9/Chart	10 Dec 08	VTPI AD 2-6	11 Mar 10	VTSC AD 2-13/Chart	10 Dec 08
VTUW AD 2-11/Chart	10 Dec 08			VTSC AD 2-15/Chart	10 Dec 08
VTUW AD 2-12/Chart	10 Dec 08	NAKHON SI THAMMARAT		VTSC AD 2-17/Chart	10 Dec 08
VTUW AD 2-13/Chart	10 Dec 08	*VTSF AD 2-1	28 Jul 11	VTSC AD 2-19/Chart	10 Dec 08
VTUW AD 2-15/Chart	10 Dec 08	VTSF AD 2-2	10 Dec 08		
VTUW AD 2-16/Chart	10 Dec 08	VTSF AD 2-3	10 Mar 11		
		VTSF AD 2-4	30 Jul 09	PATTANI	
		VTSF AD 2-5	10 Dec 08	*VTSK AD 2-1	28 Jul 11
NAKHON RATCHASIMA		VTSF AD 2-6	10 Mar 11	VTSK AD 2-2	10 Mar 11
*VTUQ AD 2-1	28 Jul 11	VTSF AD 2-7	30 Jul 09	VTSK AD 2-3	10 Mar 11
VTUQ AD 2-2	10 Dec 08	VTSF AD 2-8	10 Dec 08	VTSK AD 2-4	11 Mar 10
VTUQ AD 2-3	10 Dec 08	VTSF AD 2-9	10 Dec 08	VTSK AD 2-5	10 Dec 08
VTUQ AD 2-4	10 Dec 08	VTSF AD 2-11/Chart	10 Dec 08	VTSK AD 2-7/Chart	10 Dec 08
VTUQ AD 2-5	10 Dec 08	VTSF AD 2-13/Chart	10 Dec 08	VTSK AD 2-9/Chart	10 Dec 08
VTUQ AD 2-6	10 Dec 08	VTSF AD 2-14/Chart	10 Dec 08	VTSK AD 2-10/Chart	10 Dec 08
VTUQ AD 2-7	18 Nov 10				
VTUQ AD 2-8	29 Jul 10				
VTUQ AD 2-9	10 Dec 08	NAKHON SI THAMMARAT/Cha-lan		PHETCHABUN	
VTUQ AD 2-11/Chart	10 Dec 08	VTSN AD 2-1	10 Dec 08	*VTPB AD 2-1	28 Jul 11
VTUQ AD 2-13/Chart	10 Dec 08	VTSN AD 2-2	10 Dec 08	VTPB AD 2-2	10 Dec 08
VTUQ AD 2-14/Chart	10 Dec 08	VTSN AD 2-3	10 Mar 11	VTPB AD 2-3	10 Dec 08
VTUQ AD 2-15/Chart	10 Dec 08			VTPB AD 2-4	10 Dec 08
VTUQ AD 2-16/Chart	10 Dec 08			VTPB AD 2-5	10 Dec 08
		NAN		VTPB AD 2-6	10 Dec 08
		*VTCN AD 2-1	28 Jul 11	VTPB AD 2-7	30 Jul 09
NAKHON RACHASIMA/Khorat (MIL)		VTCN AD 2-2	10 Dec 08	VTPB AD 2-8	10 Dec 08
VTUN AD 2-1	30 Jul 09	VTCN AD 2-3	10 Dec 08	VTPB AD 2-9	10 Dec 08
VTUN AD 2-2	10 Dec 08	VTCN AD 2-4	10 Dec 08	VTPB AD 2-11/Chart	10 Dec 08
VTUN AD 2-3	10 Dec 08	VTCN AD 2-5	10 Dec 08	VTPB AD 2-13/Chart	10 Dec 08
VTUN AD 2-4	10 Dec 08	VTCN AD 2-6	30 Jul 09	VTPB AD 2-15/Chart	10 Dec 08
VTUN AD 2-5	10 Dec 08	VTCN AD 2-7	10 Dec 08	VTPB AD 2-16/Chart	10 Dec 08
VTUN AD 2-6	29 Jul 10	VTCN AD 2-9/Chart	10 Dec 08	VTPB AD 2-17/Chart	10 Dec 08
VTUN AD 2-7	11 Mar 10	VTCN AD 2-11/Chart	10 Dec 08		
		VTCN AD 2-12/Chart	10 Dec 08		
		VTCN AD 2-13/Chart	10 Dec 08	PHITSANULOK	
NAKHON SAWAN		VTCN AD 2-14/Chart	10 Dec 08	*VTPP AD 2-1	28 Jul 11
VTPN AD 2-1	19 Nov 09			VTPP AD 2-2	10 Dec 08
VTPN AD 2-2	10 Dec 08			VTPP AD 2-3	10 Dec 08
VTPN AD 2-3	19 Nov 09	NARATHIWAT		VTPP AD 2-4	10 Dec 08
		*VTSC AD 2-1	28 Jul 11	VTPP AD 2-5	18 Nov 10
		VTSC AD 2-2	10 Dec 08	VTPP AD 2-6	29 Jul 10
NAKHON SAWAN/Takhli (MIL)		VTSC AD 2-3	30 Jul 09	VTPP AD 2-7	30 Jul 09
VTPI AD 2-1	10 Dec 08	VTSC AD 2-4	29 Jul 10	VTPP AD 2-8	30 Jul 09
VTPI AD 2-2	10 Dec 08	VTSC AD 2-5	10 Dec 08	VTPP AD 2-9	10 Dec 08
VTPI AD 2-3	10 Dec 08	VTSC AD 2-7/Chart	10 Dec 08	VTPP AD 2-10	10 Dec 08
VTPI AD 2-4	10 Dec 08	VTSC AD 2-9/Chart	10 Dec 08	VTPP AD 2-11	10 Dec 08

GEN 0.4 CHECKLIST OF AIP PAGES
(* DENOTES NEW OR REPLACEMENT PAGES)

Page	Date	Page	Date	Page	Date
VTTP AD 2-13	29 Jul 10	RANONG		VTSH AD 2-4	10 Dec 08
VTTP AD 2-15/Chart	11 Mar 10	*VTSR AD 2-1	28 Jul 11	VTSH AD 2-5	10 Dec 08
VTTP AD 2-17/Chart	29 Jul 10	VTSR AD 2-2	10 Dec 08	VTSH AD 2-6	11 Mar 10
VTTP AD 2-19/Chart	29 Jul 10	VTSR AD 2-3	10 Dec 08	VTSH AD 2-7	10 Dec 08
VTTP AD 2-21/Chart	29 Jul 10	VTSR AD 2-4	10 Dec 08	VTSH AD 2-9/Chart	10 Dec 08
VTTP AD 2-23/Chart	29 Jul 10	VTSR AD 2-5	10 Dec 08		
VTTP AD 2-25/Chart	29 Jul 10	VTSR AD 2-6	10 Dec 08	SUKHOTHAI	
VTTP AD 2-27/Chart	29 Jul 10	VTSR AD 2-7	30 Jul 09	VTPO AD 2-1	29 Jul 10
VTTP AD 2-29/Chart	29 Jul 10	VTSR AD 2-9	10 Dec 08	VTPO AD 2-2	29 Jul 10
		VTSR AD 2-11/Chart	10 Dec 08	VTPO AD 2-3	29 Jul 10
		VTSR AD 2-13/Chart	10 Dec 08	VTPO AD 2-4	29 Jul 10
		VTSR AD 2-14/Chart	10 Dec 08	VTPO AD 2-5	29 Jul 10
PHRAE				VTPO AD 2-6	29 Jul 10
*VTCP AD 2-1	28 Jul 11			VTPO AD 2-7	29 Jul 10
VTCP AD 2-2	10 Dec 08	ROI ET		VTPO AD 2-9	10 Mar 11
VTCP AD 2-3	10 Dec 08	*VTUV AD 2-1	28 Jul 11	VTPO AD 2-11/Chart	10 Dec 08
VTCP AD 2-4	11 Mar 10	VTUV AD 2-2	10 Dec 08	VTPO AD 2-13/Chart	10 Dec 08
VTCP AD 2-5	10 Dec 08	VTUV AD 2-3	10 Dec 08	VTPO AD 2-15/Chart	10 Dec 08
VTCP AD 2-7	10 Dec 08	VTUV AD 2-4	10 Dec 08	VTPO AD 2-17/Chart	10 Dec 08
VTCP AD 2-9 /Chart	10 Dec 08	VTUV AD 2-5	10 Dec 08	VTPO AD 2-21/Chart	10 Dec 08
		VTUV AD 2-6	10 Dec 08	VTPO AD 2-22/Chart	10 Dec 08
		VTUV AD 2-7	30 Jul 09		
PRACHUAP KHIRI KHAN (MIL)		VTUV AD 2-8	29 Jul 10		
VTBP AD 2-1	30 Jul 09	VTUV AD 2-9	10 Dec 08		
VTBP AD 2-2	10 Dec 08	VTUV AD 2-11/Chart	10 Dec 08		
VTBP AD 2-3	10 Dec 08	VTUV AD 2-13/Chart	10 Dec 08	SURAT THANI	
VTBP AD 2-4	10 Dec 08	VTUV AD 2-14/Chart	10 Dec 08	*VTSB AD 2-1	28 Jul 11
VTBP AD 2-5	10 Dec 08			VTSB AD 2-2	10 Dec 08
VTBP AD 2-6	10 Dec 08			VTSB AD 2-3	10 Dec 08
VTBP AD 2-7	10 Dec 08	SAKON NAKHON		VTSB AD 2-4	30 Jul 09
		*VTUI AD 2-1	28 Jul 11	VTSB AD 2-5	10 Dec 08
PRACHUAP KHIRI KHAN/Hua Hin		VTUI AD 2-2	10 Dec 08	VTSB AD 2-6	10 Dec 08
*VTPH AD 2-1	28 Jul 11	VTUI AD 2-3	10 Dec 08	VTSB AD 2-7	30 Jul 09
VTPH AD 2-2	10 Dec 08	VTUI AD 2-4	10 Dec 08	VTSB AD 2-9	10 Dec 08
VTPH AD 2-3	10 Dec 08	VTUI AD 2-5	10 Dec 08	VTSB AD 2-10	10 Mar 10
VTPH AD 2-4	30 Jul 09	VTUI AD 2-6	30 Jul 09	VTSB AD 2-11	19 Nov 09
VTPH AD 2-5	10 Dec 08	VTUI AD 2-7	10 Dec 08	VTSB AD 2-13/Chart	10 Dec 08
VTPH AD 2-6	10 Dec 08	VTUI AD 2-9	10 Dec 08	VTSB AD 2-15/Chart	19 Nov 09
VTPH AD 2-7	10 Dec 08	VTUI AD 2-11/Chart	10 Dec 08	VTSB AD 2-16	19 Nov 09
VTPH AD 2-8	10 Dec 08	VTUI AD 2-13/Chart	10 Dec 08	VTSB AD 2-17/Chart	19 Nov 09
VTPH AD 2-9	10 Dec 08	VTUI AD 2-14/Chart	10 Dec 08	VTSB AD 2-18	19 Nov 09
VTPH AD 2-11	10 Dec 08			VTSB AD 2-19/Chart	19 Nov 09
VTPH AD 2-13/Chart	10 Dec 08			VTSB AD 2-20	19 Nov 09
VTPH AD 2-15/Chart	10 Dec 08	SONGKHLA (MIL)		VTSB AD 2-21/Chart	19 Nov 09
VTPH AD 2-17/Chart	10 Dec 08	VTSH AD 2-1	10 Dec 08	VTSB AD 2-22	19 Nov 09
		VTSH AD 2-2	10 Dec 08		
		VTSH AD 2-3	10 Dec 08		

GEN 0.4 CHECKLIST OF AIP PAGES
(* DENOTES NEW OR REPLACEMENT PAGES)

Page	Date	Page	Date	Page	Date
SURAT THANI / Samui		TAK/Mae Sot		VTUU AD 2-10 18 Nov 10	
VTSM AD 2-1	29 Jul 10	*VTPM AD 2-1	28 Jul 11	VTUU AD 2-11	10 Dec 08
VTSM AD 2-2	29 Jul 10	VTPM AD 2-2	10 Dec 08	VTUU AD 2-13/Chart	10 Dec 08
VTSM AD 2-3	10 Dec 08	VTPM AD 2-3	10 Dec 08	VTUU AD 2-15/Chart	10 Dec 08
VTSM AD 2-4	29 Jul 10	VTPM AD 2-4	10 Dec 08	VTUU AD 2-16/Chart	10 Dec 08
VTSM AD 2-5	10 Dec 08	VTPM AD 2-5	10 Dec 08	VTUU AD 2-17/Chart	10 Dec 08
VTSM AD 2-6	10 Dec 08	VTPM AD 2-6	10 Dec 08	VTUU AD 2-18/Chart	10 Dec 08
VTSM AD 2-7	10 Dec 08	VTPM AD 2-7	10 Dec 08	VTUU AD 2-19/Chart	10 Dec 08
VTSM AD 2-9	29 Jul 10	VTPM AD 2-9/Chart	10 Dec 08		
VTSM AD 2-11/Chart	10 Dec 08				
VTSM AD 2-13/Chart	10 Dec 08				
VTSM AD 2-15/Chart	10 Dec 08				
VTSM AD 2-17/Chart	29 Jul 10	TRANG		UDON THANI	
VTSM AD 2-18	29 Jul 10	*VTST AD 2-1	28 Jul 11	*VTUD AD 2-1	28 Jul 11
VTSM AD 2-19/Chart	29 Jul 10	VTST AD 2-2	10 Dec 08	VTUD AD 2-2	30 Jul 09
VTSM AD 2-20	29 Jul 10	VTST AD 2-3	10 Dec 08	VTUD AD 2-3	10 Dec 08
VTSM AD 2-21/Chart	29 Jul 10	VTST AD 2-4	10 Dec 08	VTUD AD 2-4	30 Jul 09
VTSM AD 2-22	29 Jul 10	VTST AD 2-5	30 Jul 09	VTUD AD 2-5	30 Jul 09
VTSM AD 2-23/Chart	29 Jul 10	VTST AD 2-7	10 Dec 08	VTUD AD 2-6	10 Mar 11
VTSM AD 2-24	29 Jul 10	VTST AD 2-9/Chart	10 Dec 08	VTUD AD 2-7	10 Dec 08
VTSM AD 2-25	29 Jul 10	VTST AD 2-11/Chart	10 Dec 08	VTUD AD 2-8	18 Nov 10
VTSM AD 2-27/Chart	29 Jul 10	VTST AD 2-13/Chart	10 Dec 08	VTUD AD 2-9	29 Jul 10
VTSM AD 2-28	29 Jul 10	VTST AD 2-14/Chart	10 Dec 08	VTUD AD 2-11/Chart	29 Jul 10
VTSM AD 2-29	29 Jul 10			VTUD AD 2-13/Chart	10 Dec 08
		TRAT		VTUD AD 2-15/Chart	10 Dec 08
		VTBO AD 2-1	30 Jul 09	VTUD AD 2-17/Chart	10 Dec 08
		VTBO AD 2-2	30 Jul 09	VTUD AD 2-19/Chart	29 Jul 10
		VTBO AD 2-3	30 Jul 09	VTUD AD 2-21/Chart	29 Jul 10
		VTBO AD 2-4	30 Jul 09		
		VTBO AD 2-5	30 Jul 09		
		VTBO AD 2-6	30 Jul 09		
		VTBO AD 2-7	30 Jul 09		
		VTBO AD 2-8	30 Jul 09		
SURIN					
VTUJ AD 2-1	10 Dec 08				
VTUJ AD 2-2	10 Dec 08				
VTUJ AD 2-3	10 Dec 08				
VTUJ AD 2-4	10 Dec 08				
VTUJ AD 2-5	10 Dec 08				
VTUJ AD 2-7	10 Dec 08				
VTUJ AD 2-9	10 Dec 08				
VTUJ AD 2-11/Chart	10 Dec 08				
		UBON RATCHATHANI			
		*VTUU AD 2-1	28 Jul 11		
		VTUU AD 2-2	18 Nov 10		
		VTUU AD 2-3	10 Dec 08		
		VTUU AD 2-4	10 Dec 08		
		VTUU AD 2-5	10 Dec 08		
		VTUU AD 2-6	10 Dec 08		
		VTUU AD 2-7	10 Dec 08		
		VTUU AD 2-8	30 Jul 09		
		VTUU AD 2-9	30 Jul 09		
TAK					
*VTPT AD 2-1	28 Jul 11				
VTPT AD 2-2	10 Dec 08				
VTPT AD 2-3	10 Dec 08				
VTPT AD 2-4	10 Dec 08				
VTPT AD 2-5	10 Dec 08				
VTPT AD 2-7/Chart	10 Dec 08				

THIS PAGE INTENTIONALLY LEFT BLANK

- 2.4.6 Holder of a passport of its equivalent document who enters and stays temporarily in the Kingdom for any international meetings or sports competition which are hosted by the Thai Government or approved by the Ministries, Department concerned.
- 2.4.7 The ambassador, the ambassador's spouse and their children who holding diplomatic passports from any country (in addition to who have been previously identified)
- 2.5 An alien may enter into Thailand for a period of up to 90 days without visa under following conditions.
- 2.5.1 Holding a diplomatic or an official passport of the following countries:
Argentina, Austria, Belgium, Brazil, Bhutan, Chile, Costa Rica, Croatia, Czech, France, Germany, Hungary, India, Israel, Italy, Japan, Korea (South), Liechtenstein, Luxembourg, Malaysia, Mexico, Nepal, Netherlands, Oman, Panama, Peru, Philippines, Poland, Romania, Russia, Singapore, Slovakia, South Africa, Switzerland, Turkey, Ukraine and Uruguay.
- 2.5.2 Holding a passport of Argentina, Brazil, Chile, Korea (South) and Peru.
- 2.5.3 Holding a diplomatic or service passports of Ukraine.
- 2.5.4 Holder of a passport or its equivalent document of Asia-Pacific Economic Cooperation (APEC) Economies holding APEC Business Travel Card (ABTC) who enters and stays temporarily in the Kingdom for any business not exceeding 90 days. The card must be valid and marked "THA" in the back of the card.
- 2.5.5 Nationals of the Kingdom of Spain, holding a valid, current Spanish diplomatic passport, may enter the territory of the Kingdom of Thailand without a visa for stays of up to ninety (90) days during a period of one hundred and eighty (180) days, provided that they do not engage in gainful activity during their stay and provided that the entry is not carried out for accreditation purposes.
- 2.6 An alien holding the nationality of following countries that issue passports or its equivalent document may enter into Thailand for a period of up to 15 days by asking a visa on arrival at Don Mueang, Suvarnabhumi, Chiang Mai, Mae Fah Luang-Chiang Rai, Phuket, Hat Yai, U-Tapao Pattaya, Krabi, Samui, Sukhothai and Surat Thani airports:
Bhutan, China and Taiwan, Cyprus, Czech, Estonia, Ethiopia, Hungary, India, Kazakhstan, Latvia, Liechtenstein, Lithuania, Maldives, Mauritius, Oman, Poland, Russia, Saudi Arabia, Slovakia, Slovenia, Ukraine and Uzbekistan
- 2.7 For embarking passengers, only passports or documents used in Lieu of passports and Embarkation Card are required to be submitted.
- 2.8 A flight crew member and a crew member who are on duty and retain their valid licenses or their certificates in their possession may enter into Thailand for a period of up to 30 days with a passport presented to the officer.

3. Public Health Requirements

- 3.1 The requirement of possession the valid international certificates of vaccination or revaccination against yellow fever is necessary if the individual comes from affected area, except the direct transit passenger who remains in direct transit area of the airport.
- 3.2 In accordance with the immigration Act, Thailand B.E.2522, aliens which fall into any of the following categories are excluded from entering into the kingdom:
- a. Mental or physical defects, having any of the diseases prescribed in the ministerial regulation of the following diseases: leprosy tuberculosis, filariasis in the stage of repulsive in appearance, tertiary stage of syphilis, drug addicts.
 - b. Having not yet been vaccinated or inoculated or undergone any other medical treatment for protection against quarantinable diseases during the declaration of the above mentioned diseases and having refused to have such vaccinations administered by the immigration Doctor.
- 3.3 On departure, health formalities are required in accordance with International Health Regulations (WHO)

4. Animal Quarantine Requirements

- 4.1 Exportation
- 4.1.1 Animals or animal carcasses specified in Animal Epidemics Act B.E.2499 and Ministerial Regulations is prohibited unless accompanied by Export License and Veterinary Health Certificate granted by Authorized Veterinary Officer of Department of Livestock Development.

- 4.1.2 Application for Export License and Veterinary Health Certificate must be done at least 15 days prior to date of departure.
- 4.2 Importation, Transshipment
- 4.2.1 Animals or animal carcasses specified in Animal Epidemics Act B.E.2499 and Ministerial Regulations is prohibited unless there are Import Permit granted by Authorized Veterinary Officer of Department of Livestock Development and Veterinary Health Certificate of the country of origin.
- 4.2.2 Veterinary Health Certificate of the country of origin must be in English and issued by an Authorized Veterinary Officer and accompanied with every shipment of animals or animal carcasses. The aforementioned Certificate should meet the importation requirement of Department of Livestock Development.
- 4.2.3 Import Permit granted by Authorized Veterinary Officer of Department of Livestock Development must be done at least 15 days prior to date of entry.
- 4.2.4 Veterinary Health Certificate and Import Permit must declare to the Authorized Veterinary Officer at port of entry.
- 4.2.5 The carrier administrator shall provide details of imported animals or animal carcasses into Kingdom of Thailand to Animal Quarantine Station of port of entry before the arrival date of such carrier.

5. Other

- 5.1 Instruction on the export of antiquities or Buddha Images from The Kingdom of Thailand
- 1) Buddha images, Bodhisattva images or related fragments a part of ancient Monuments and prehistoric objects, are forbidden to be taken out of the Kingdom, Newly cast complete Buddha Images can be exported for worship, cultural exchange or educational purposes with licenses issued by the Fine Arts Department. Not more than 5 pieces per person shall be allowed. (more information contact to 0 2628 5032)
 - 2) Reproductions of antiquities can also exported with licenses.
 - 3) Procedures to obtain a license for export of antiquities or Buddha images:
 - 1) The following documents should be produced together with the application form:
 - a) Two copies (3x5 inches) of front view photograph of the object(s)
 - b) A photocopy of the applicant's passport
(in case of export of Buddha images the photocopy of passport must be certified as true copy by the respective Embassy or Consulate in Thailand.)
 - 2) Bring the object (s) and the documents to apply for a license at any of the following places:
 - a) Office of Archaeology and National Museums, 81/1 Si Ayutthaya Road, Theves, Dusit, Bangkok, Tel: 0 2628 5032
 - b) Chiang Mai National Museum, Superhighway Rod, Amphoe Muang, Chiang Mai, Tel: (053) 221-308
 - c) Songkhla National Museum, 12/1 Jana Road, Tambon Bohyang, Amphoe Muang, Songhla, Tel: (074) 331-728, 311-881
 - d) Thalang National Museum, Tambon Si Sunthorn, Amphoe Thalang, Phuket. Tel: (076) 311-426
 - 3) Please allow 4 working days for license issuing process.
- 5.2 Limitation of gel, aerosol and liquid

Thailand will implement the new security measures on the carriage of liquids, gels, aerosols and the like in hand baggage on board scheduled, non-scheduled and private flights both domestic and international from Thailand as of 1 June 2007 as follows:

1. All liquids, gels, aerosols and the like must be carried in containers with a capacity not greater than 100 millilitres each (or equivalent in other volumetric measurements). Liquids etc. carried in containers with a capacity of more than 100 millilitres will not be accepted, even if the container is only partially filled;
2. Containers must be placed in a transparent re-sealable plastic bag with a maximum capacity not exceeding 1 litre. The containers must fit comfortably within the transparent plastic bag, which must be completely closed;
3. The transparent plastic bag is to be presented for screening at the security screening point by separating it from other hand baggage such as coats and laptop computers.
4. Each passenger is permitted to carry only one such bag.
5. Reasonable amount of medicines and baby milk/foods are exempted from the requirements stated in items 1, 2 and 3 but they are to be presented for screening at the security screening point.
6. All liquids, gels, aerosols and the like bought from the duty-free shops at the airport or on board aircraft are exempted from the requirements stated in items 1, 2 and 3 but they must be packed in a transparent sealed plastic bag without reopening sign after buying. Also, the receipt shall be clearly displayed and the date of purchase shall coincide with the day of travel of normal, transit or transfer passengers.

For the passengers' benefit before shopping in duty-free shops at the airports, please check the information with the shops or the airlines for the regulations on the carriage of liquids, gels, aerosols and the like which are practised at the airport of your destination, transit and transfer.

THIS PAGE INTENTIONALLY LEFT BLANK

VFR OPERATING AT UNCONTROLLED AERODROME

1. General

1.1 Uncontrolled aerodrome is an aerodrome without control tower or aerodrome that has a tower which is temporarily closed or operated on a part-time basis.

1.2 Pilots operating at an uncontrolled aerodromes should use the frequency designated for that aerodrome or 123.0 MHz where there is no designated frequency to self-announce their position and intentions and monitoring other traffic.

1.3 There is no substitute for alertness while in the vicinity of an airport. It is essential for pilot to be alert and to look for other traffic when approaching or departing an uncontrolled aerodrome.

2. Procedure

2.1 Arriving aircraft

2.1.1 Pilot of arriving aircraft should monitor and communicate on the designated frequency or 123.0 MHz from 10 miles prior to landing unless otherwise specified by the DCA regulations.

2.1.2 Pilot of arriving aircraft should self-announce their position and intentions approximately 10 miles from the aerodrome.

2.1.3 Pilot of arriving aircraft should self-announce their position and intentions on downwind, base, and final approach.

2.1.4 Pilot of arriving aircraft should self-announce their position on exiting the runway.

2.2 Departing aircraft

2.2.1 Pilot of departing aircraft should monitor and communicate on the designated frequency or 123.0 MHz from start-up to while within 10 miles from the aerodrome unless otherwise specified by the DCA regulations.

2.2.2 Pilot of departing aircraft should self-announce their position and intentions before taxi.

2.2.3 Pilot of departing aircraft should self-announce their position and intentions before entering the runway.

2.2.4 Pilot of departing aircraft should self-announce their position and intentions before taking-off from the runway.

2.2.5 Pilot of departing aircraft should self-announce their position and intentions on leaving the traffic pattern.

2.3 Aircraft operating at altitudes used normally by arriving and departing aircraft

2.3.1 Pilot of aircraft conducting other than arriving or departing operations at altitudes used normally by arriving and departing aircraft should monitor and communicate on the designated frequency or 123.0 MHz while within 10 miles from the aerodrome unless otherwise specified by the DCA regulations.

3. Self-Announce Position and Intentions

3.1 Self-announce is a procedure whereby pilot broadcast their position and intended flight activity or ground operation on a designated frequency or 123.0 MHz.

3.2 Aircraft operating at the other nearby airport maybe making self-announce broadcast on the same frequency. To help identify one airport from the other, the airport name should be spoken at the beginning and the end of each self-announce broadcast.

3.3 Example of self-announce phraseology

3.3.1 Arriving Aircraft

(AIRPORT NAME) TRAFFIC, HOTEL SIERRA DELTA CHARLIE ALFA, (POSITION), (ALTITUDE), LANDING, (AIRPORT NAME)

(AIRPORT NAME) TRAFFIC, HOTEL SIERRA DELTA CHARLIE ALFA, ENTERING DOWNWIND RUNWAY TWO ONE, FULL STOP, (AIRPORT NAME)

(AIRPORT NAME) TRAFFIC, HOTEL SIERRA DELTA CHARLIE ALFA, CLEAR OF RUNWAY TWO ONE, (AIRPORT NAME)

3.3.2 Departing Aircraft

(AIRPORT NAME) TRAFFIC, HOTEL SIERRA DELTA CHARLIE ALFA, (LOCATION ON AIRPORT), TAXIING TO RUNWAY ZERO THREE, (AIRPORT NAME)

(AIRPORT NAME) TRAFFIC, HOTEL SIERRA DELTA CHARLIE ALFA, DEPARTING RUNWAY ZERO THREE, DEPARTING THE PATTERN TO THE SOUTH, CLIMBING TO (ALTITUDE), (AIRPORT NAME)

THIS PAGE INTENTIONALLY LEFT BLANK

ENR 3 ATS ROUTES

ENR 3.3 AREA NAVIGATION (RNAV) ROUTES

Route designator Name of significant points Coordinates (WGS-84)	Track MAG(GEO) VOR RDL DIST (COP)	Upper limits Lower limits Minimum flight altitude Airspace classification (Refer to ENR 1.4-1)	Lateral limits NM	Direction of Cruising levels		Remarks Controlling units Frequency
				Odd	Even	
1	2	3	4	5		6
L301 ▲ TANEK 140305.8N 985818.9E ▲ BANGKOK DVOR/DME (BKK) 135336.8N 1003546.3E	<u>095</u> 276 95 NM	<u>FL 460</u> FL 75 FL 80	*	↓	↑	Longitudinal separation between aircraft 10 mins or 80 nm.
L507 ▲ BANGKOK VOR/DME (BKK) 135336.8N 1003546.3E Δ OSUKA 1442.8N 09943.0E ▲ LIMLA 1546.0N 09836.0E	<u>314</u> 134 71 NM <u>314</u> 134 90 NM	<u>FL 460</u> FL 85 FL 90	*	↓	↑	Longitudinal separation between aircraft 10 mins
L515 ▲ IKULA 1000.0N 0972114.0E ▲ PHUKET DVOR/DME (PUT) 080654.83N 0981822.69E	<u>154</u> 334 126 NM	<u>FL 460</u> FL 105 FL 110	*	↓	↑	Longitudinal separation between aircraft 10 mins
L645 ▲ PHUKET DVOR/DME (PUT) 080654.83N 0981822.69E ▲ SAPAM 080434N 0973300E	<u>268</u> 088 45 NM	<u>FL 460</u> FL 275 FL 280	*	↑	↓	Longitudinal separation between aircraft 10 mins
L759 ▲ PHUKET DVOR/DME (PUT) 080654.83N 0981822.69E ▲ TAVUN 1000.0N 09633.2E	<u>318</u> 138 154 NM	<u>FL 460</u> FL 105 FL 110	*	↑	↓	Longitudinal separation between aircraft 10 mins
M502 ▲ BANGKOK VOR/DME (BKK) 135336.8N 1003546.3E ▲ AKATO 133715.53N 0991019.19E	<u>259</u> 079 85 NM	<u>FL 460</u> FL 100 FL 110	*	↑	↓	Activate Monday-Friday, 1500-2300 And Saturday-Sunday, H24
*For the width of Airways see ENR 2.1-1						

ENR 3.3 AREA NAVIGATION (RNAV) ROUTES

Route designator Name of significant points Coordinates (WGS-84)	Track MAG(GEO) VOR RDL DIST (COP)	Upper limits Lower limits Minimum flight altitude Airspace classification (Refer to ENR 1.4-1)	Lateral limits NM	Direction of Cruising levels		Remarks Controlling units Frequency
				Odd	Even	
1	2	3	4	5		6
M626 ▲ EKAVO 113736.5N 0993024.7E ▲ MENEX 110830.7N 0994542.6E ▲ UPNEP 094213.1N 1002936.4E △ SUPIN 083434.55N 1010419.34E ▲ SUWAN 080319.5N 1012018.0E ▲ KADAX 061602.0N 1021541.7E ▲ KOTA BHARU VOR/DME (VKB) 061002.0N 1021848.0E	153 333 33 NM 153 333 96 NM 153 333 76 NM 153 333 35 NM 153 333 120 NM 153 333 7 NM	FL 460 FL 95 FL 100	*	↓	↑	Longitudinal separation between aircraft 10 mins
M644 ▲ RAYONG DVOR/DME (RYN) 124648.3N 1014041.7E ▲ ALUMO 104553.89N 1055122.86E △ TONIK 100131.14N 1015516.15E △ DUGON 080124.77N 1020548.57E ▲ ABTOK 061818.0N 1021744.0E	175 355 121 NM 175 355 88 NM 175 355 76 NM 173 353 103 NM	FL 460 FL 285 FL 290	*	↓	↑	Longitudinal separation between aircraft 10 mins
M751 ▲ BANGKOK VOR/DME (BKK) 135336.8N 1003546.3E △ POLAK 132106.1N 1003454.2E ▲ REGOS 120006.0N 1003454.1E △ IDAGA 110006.8N 1005348.1E ▲ EMELA 101249.19N 1010729.14E △ MUBAN 091848.37N 1012301.53E ▲ TIKAL 080219.5N 1014447.9E ▲ GOLUD 061706.0N 1021639.0E ▲ KOTA BHARU VOR/DME (VKB) 061002.0N 1021848.0E	180 360 32 NM 180 360 81 NM 163 343 63 NM 164 344 49 NM 164 344 80 NM 164 344 54 NM 164 344 109 NM 164 344 7 NM	FL 460 FL 65 FL 70	*	↓	↑	Longitudinal separation between aircraft 10 mins

*For the width of Airways see ENR 2.1-1

ENR 3.1 AREA NAVIGATION (RNAV) ROUTES

Route designator Name of significant points Coordinates (WGS-84)	Track MAG(GEO) VOR RDL DIST (COP)	Upper limits Lower limits Minimum flight altitude Airspace classification (Refer to ENR 1.4-1)	Lateral limits NM	Direction of Cruising levels		Remarks Controlling units Frequency
				Odd	Even	
1	2	3	4	5		6
M770 ▲ PADET 100006.9N 0981719.3E ▲ RANONG DVOR/DME (RAN) 094643.18N 0983502.11E ▲ GOLUD 061706.0E 1021639.0E	127 307 22 NM 134 314 302 NM	FL 460 FL 275 FL 280	*	↓ ↑		<u>Conditional RNAV route M 770</u> Portion between GOLUD and RAN DVOR/DME is available for westbound flight only under the following conditions; 1. 0000 – 2300 UTC for Saturday and Sunday . 2. 1630 – 2300 UTC daily from Monday to Friday.
N891 ▲ BANGKOK VOR/DME (BKK) 135336.8N 1003546.3E ▲ RAYONG VOR/DME (RYN) 124648.3N 1014041.7E Δ ANOBO 110323.0N 1021441.61E ▲ BENSAN 102631.0N 1022629.5E	136 316 92 NM 162 342 108 NM 162 342 39 NM 162 342 40 NM	FL 460 FL 70 FL 80 FL 460 FL 160 FL 170	*	↓ ↑		Longitudinal separation between aircraft 10 mins
P627 ▲ PHUKET DVOR/DME (PUT) 080654.83N 0981822.69E ▲ RUSET 074616.0N 0974257.0E	240 060 41 NM	FL 460 FL 95 FL 100	*	↑ ↓		Longitudinal separation between aircraft 15 mins.
P646 ▲ BANGKOK VOR/DME (BKK) 135336.8N 1003546.3E ▲ BETNO 1505.8N 09812.7E	298 118 156 NM	FL 460 FL 275 FL 280	*	↑ ↓		Longitudinal separation between aircraft 10 mins.
Y1 ▲ UDON DVOR/DME (UDN) 172304.2N 1024630.05E ▲ MOCHI 143603.26N 1013934.93E	202 022 178 NM	FL 460 FL 120 FL 130 Class A/FL290 and above		↓		Activate Monday-Friday, 1000-2300 And Saturday-Sunday, H24 Expect ATC clearance transition to Initial waypoint STAR
Y2 ▲ KHON KHAEN DVOR/DME (KKN) 162814.73N 1024716.07E ▲ MOCHI 143603.26N 1013934.93E	211 031 129 NM	FL 460 FL 120 FL 130 Class A/FL290 and above		↓		Activate Monday-Friday, 1000-2300 And Saturday-Sunday, H24 Expect ATC clearance transition to Initial waypoint STAR
*For the width of Airways see ENR 2.1-1						

THIS PAGE INTENTIONALLY LEFT BLANK

Identification, name and lateral limits	Upper limit Lower limit	Remarks (time of activity, type of restriction, nature of hazard, risk of interception)
1	2	3
DANGER AREAS		
<p>VT D61 Surat Thani Area bounded by lines joining successively the following points : 0845.0N9929.0E 0827.0N9951.0E 0816.0N9947.0E 0828.0N9842.0E 0845.7N9857.2E then follow the arc 25 NM from Surat DVOR/DME (090746.24N0990805.09E) counter clockwise to 0844.5N9917.3E 0840.4N9919.7E and 0845.0N9929.0E</p>	<p><u>ALT 7 000 ft</u> GND</p>	<p>RTAF Flying Training Mon - Fri, 2300 - 1700. Contact SWALLOW Control freq 127.0 or 331.3 MHz, if unable, contact Surat APP FREQ 119.3 or 236.6 MHz before entering.</p>
<p>VT D63 Udon, Loei (Area 1) Area bounded by lines joining successively the following points : 1750.8N10235.5E on Thai-Laotian border then follow the arc 30 NM counter clockwise from Udon TACAN (1722.9N10248.1E) to 1700.0N10228.0E 1700.0N10130.0E 1744.0N10130.0E thence eastward along the Thai-Laotian border to the starting point.</p>	<p><u>UNL</u> GND</p>	<p>RTAF Flying Training Mon - Fri, 2200 - 1700. Contact BRIGHAM Control freq 127.0 or 331.3 MHz, if unable, contact Udon APP FREQ 122.5 or 236.6 MHz before entering.</p>
<p>VT D63 Udon, Loei, Khon Kaen (Area 2) Beginning at 1700.0N10228.0E then follow the arc 30 NM counter clockwise from Udon TACAN to 1656.0N10239.5E then follow the arc 30 NM counter clockwise from Khon Khan NDB (162743.41N1024704.18E) to 1630.0N10217.0E 1630.0N10130.0E 1700.0N10130.0E and 1700.0N10228.0E</p>	<p><u>ALT 10 000 ft</u> GND</p>	<p>RTAF Flying Training Mon - Fri, 2200 - 1700 Contact BRIGHAM Control freq 127.0 or 331.3 MHz, if unable, contact Udon APP FREQ 126.2 or 236.6 MHz before entering.</p>
<p>VT D64 Udon, Nong Khai Area bounded by lines joining successively the following points : 1755.0N10247.0E on Thai-Laotian border to 1753.0N10247.5E then follow the arc 30 NM clockwise from Udon TACAN (1722.9N10248.1E) to 1709.0N10315.8E 1630.0N10409.2E 1630.0N10440.0E thence northward along the Thai-Laotian border to the starting point.</p>	<p><u>UNL</u> GND</p>	<p>RTAF Flying Training Mon - Fri, 2200 - 1700 Contact BRIGHAM Control FREQ 127.0 or 331.3 MHz, if unable, contact Udon APP freq 122.5 or 236.6 MHz before entering.</p>
<p>- Nakhon Phanom Flying Training Area within VT D64</p> <p><u>Area 1</u> Area bounded by lines joining the following points: 172800N1041500E 174800N1041500E 173600N1042600E 172800N1042200E thence direct to starting point.</p> <p><u>Area 2</u> Area bounded by lines joining the following points: 163000N1041500E 165600N1041500E 170800N1042500E 170800N1043900E 170000N1043800E 163000N1043900E thence direct to starting point.</p>	<p><u>ALT 6 000 ft</u> GND</p> <p><u>ALT 6 000 ft</u> GND</p>	<p>Aviation Flying Training Area VFR Daily, BTN 2300-1100 UTC. The Joint-used airspace Sakon Nakhon TMA and VT D64. Contact Sakon Nakhon Approach freq. VHF 123.35 MHz or UHF 284.0 MHz, if unable Contact Nakhon Phanom Tower freq. VHF 122.5 MHz, before entering. *Aircraft training flight in this area shall continuously close monitor Sakon Nakhon Approach frequency.</p>

ENR 5.1 PROHIBITED, RESTRICTED AND DANGEROUS AREAS

Identification, name and lateral limits	Upper limit Lower limit	Remarks (time of activity, type of restriction, nature of hazard, risk of interception)
1	2	3
DANGER AREAS		
VT D65 Northeastern Area A circle 20 NM radius centred on point 1639.0N10258.0E	<u>FL 150</u> GND	RTAF Flying Training Mon - Fri, 0000 - 1000. Contact Khon Khan Tower FREQ 122.5 or 236.6 MHz before entering.
VT D67 Kanchanaburi Area bounded by lines joining successively the following points : 1454.0N9830.0E 1454.0N9957.0E 1415.0N9923.0E 1349.0N 9923.0E 1349.0N9914.0N 1435.0N9830.0E then direct to the starting point.	<u>ALT 6 000 ft</u> GND	RTA Flying Training Mon - Fri , 0130 - 0930, except public holidays, aircraft are to contact Kanchanaburi Tower FREQ 122.0 MHz before entering.
VT D70 Chanthaburi Area bounded by the line joining the following points : 1253N10213E 1253N10153E 1313N10153E 1313N10213E (Banchankhem Kitchakut District Chanthaburi Province)	<u>ALT15000 ft</u> GND	RTN Flying training aircraft are to contact U-Tapao APP FREQ 119.7 or 273.3 MHz before entering, the activity will be notified by NOTAM.
VT D71 Gulf of Thailand Area bounded by the line joining the following points : 1100N10135E 1100N10105E 1200N10045E 1200N10135E	<u>ALT 30000 ft</u> GND	RTN Flying training. Aircraft are to contact U-Taphao APP FREQ 119.7 or 273.3 MHz before entering. The activity will be notified by NOTAM
VT D72 Bangkok, Nonthaburi, Nakhon Pathom, Suphanburi Area bounded by lines joining successively the following points : <u>Area 1</u> 141820.38N1004014.57E 135819.51N1002641.46E 140459.67N1001251.12E 141811.10N1002501.17E and 141820.38N1004014.57E <u>Area 2</u> 135819.54N1002641.46E 134604.48N1002225.41E 134630.34N1001255.05E 140459.67N1001251.12E	<u>ALT 5000 ft</u> GND	RTAF Flying training MON-FRI 2300-1500 contact Don Mueang APP FREQ 119.4 or 262.5 or 259.6 MHz before entering.

VTCC AD 2. AERODROMES

VTCC AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTCC - CHIANG MAI / CHIANG MAI INTERNATIONAL AIRPORT

VTCC AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	18 46 17N 98 57 46E Center of RWY 18/36 1050 M from THR RWY 18
2	Direction and distance from (city)	4 KM SW
3	Elevation/Reference temperature	315.740 M (1036 FT)/36°C
4	Geoid undulation at AD ELEV PSN	Nil
5	MAG VAR/Annual change	0° 12'W (2001)/3'E
6	AD Administration, address, telephone, telefax, telex, AFS	Chiang Mai International Airport Airports of Thailand Public Company Limited 60 Mahidol Road Suthep Subdistrict Mueang District Chiang Mai 50200 Thailand Tel. 66-0-5327-0222-33, 66-0-5320-3300-19 Fax. 66-0-5327-7284 AFS : VTCCYDYX
7	Types of traffic permitted (IFR/VFR)	IFR/VFR
8	Remarks	Nil

VTCC AD 2.3 OPERATIONAL HOURS

1	AD Administration	MON-SUN+HOL 2300-1700 beyond this period 1 HR PN to ATC	←
2	Customs and immigration	As AD administration	
3	Health and sanitation	Nil	
4	AIS Briefing Office	H24	
5	ATS Reporting Office (ARO)	H24	
6	MET Briefing Office	H24	
7	ATS	H24	
8	Fuelling	H24	
9	Handling	MON-SUN+HOL 2300-1700 beyond this period 1 HR PN to ATC	←
10	Security	H24	
11	De-icing	Nil	
12	Remarks	Nil	

VTCC AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Trucks 1.5-3.5 tonnes up to 10 tonnes Handling/Possible
2	Fuel/oil types	JET A-1 : Hydrant System
3	Fuelling facilities/capacity	JET A-1 Refueller Storage Tank 2 Tank @ 350,000 L 1 JET A-1 Refueller @ 25,000 L 2 JET A-1 Refueller @ 12,000 L 1 AVGAS 100LL Trailer @ 3,000 L
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

VTCC AD 2.5 PASSENGER FACILITIES

1	Hotels	Near AD and in the city
2	Restaurants	At the AD and in the city
3	Transportation	Public Bus, Airport Taxi and Limousines
4	Medical facilities	First Aid at AD and Hospital in the City
5	Bank and Post Office	At AD open 0100-1300
6	Tourist Office	Office in the city Tel. 0-5324-8604, 0-5324-8607, 0-5330-2500 Fax. 0-5324-8605, 0-5330-2501
7	Remarks	Nil

VTCC AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 9
2	Rescue equipment	Available-Category 9
3	Capability for removal of disabled aircraft	Available-up to B-747
4	Remarks	Nil

VTCC AD 2.7 SEASONAL AVAILABILITY – CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons

VTCC AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY NR/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
TKOF RWY 36/ APCH RWY 18	- Building HGT 370 m. MSL - Building HGT 372.7 m. MSL	184818.45N 985744.53E 184824.68N 985748.49E	Mountain North West of Aerodrome - TV Mast HGT 526.16 m MSL Marked and Lighted - Building HGT 381.18 m. MSL - Building HGT 382.29 m. MSL	184751.78N 985633.93E 184722.21N 985827.25E 184744.83N 985709.86E	
See Aerodrome Obstacle Chart Type A			See Aerodrome Obstacle Chart Type B		

VTCC AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Aeronautical Radio of Thailand Company Ltd. Airport of Thailand Public Company Ltd. Thai Airways International Public Company Ltd.
2	Hours of service Met Office outside hours	H24
3	Office responsible for TAF preparation Periods of validity	Supply TAF from Northern Regional MET Center issue TAF on standard time 00, 06, 12, 18 UTC observe METAR every half an hour issue Trend Type Landing Forecast
4	Trend forecast Interval of issuance	Supply TAF from Northern Regional MET. Center Issue TAF on standard time 00, 06, 12, 18 UTC Observe METAR every half an hour Issue Trend Type Landing Forecast
5	Briefing/consultation provided	Yes
6	Flight documentation Language (s) used	English
7	Charts and other information available for briefing or consultation	Daily Weather Forecast Upper wind levels 850, 700, 500, 300, 200 hpa. SIG.WX.Chart
8	Supplementary equipment available for providing information	AWOS, Radar
9	ATC units provided with information	ATS Workstation
10	Additional information (limitation of service, etc.)	IP System

VTCC AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (m)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation		THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5		6
18	180°	3 400x45	59/F/A/X/T Asphaltic Concrete 70/R/B/W/T Concrete (Displacement)	184651.81N 985746.51E (WGS-84)		THR 315.740 m/ 1 036 ft
36	360°	3 100x45	59/F/A/X/T Asphaltic Concrete	184510.95N 985746.26E (WGS-84)		THR 306.944 m/ 1007 ft
Slope of RWY-SWY		SWY dimension	CWY dimension	Strip dimension	OFZ	Remarks
7		8	9	10	11	12
0% -0.06% -0.53% -0.32% -0.05% -0.04% 0% (300m 674m 1241m 1719m 2517m 3000m 3400m)		100x45	Nil	3 620x150	Nil	Nil
0% +0.04% +0.05% +0.32% +0.53% +0.06% (400m 883m 1681m 2159m 2726m 3100m)		Nil	Nil	3320x150	Nil	Nil

VTCC AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
18	3 400	3 400	3 500	3 100	Nil
36	3 100	3 100	3 100	3 100	Nil

VTCC AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Desig nator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, Colour, INTST	RWY edge LGT LEN, spacing colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (m) colour	Remarks
1	2	3	4	5	6	7	8	9	10
36	SALS 420 m LIH	Green	PAPI Left/Right 3° (60 ft)	Nil	Nil	3 100 m 60 m White;LIH	Red	Nil	Nil
18	SALS 420 m LIH	Green	PAPI Left/Right 3° (60 ft)	Nil	Nil	3 100 m 60 m White;LIH	Red	100 Red	Nil

VTCC AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	ABN : At Tower building, FLG W G EV 7 SEC IBN : Nil As AD Administration
2	LDI location and LGT Anemometer location and LGT	Wind Cone near right PAPI 36 , illuminated Anemometer : nil
3	TWY edge and centre line lighting	EDGE : All TWY Centre Line : Nil
4	Secondary power supply/switch-over time	Secondary power supply to all lighting At AD switch-overtime : 15 SEC
5	Remarks	Nil

VTCC AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	Nil
2	TLOF and/or FATO elevation M/FT	Nil
3	TLOF and FATO area dimensions, surface, strength, marking	Nil
4	True BRG of FATO	Nil
5	Declared distance available	Nil
6	APP and FATO lighting	Nil
7	Remarks	Nil

VTCC AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	A circle of 5 NM radius centered on 1845.9N 9857.9E
2	Vertical limits	5000 ft/AGL
3	Airspace classification	C
4	ATS unit call sign Language(s)	Chiang Mai Tower En, Thai
5	Transition altitude	11 000 ft
6	Remarks	Nil

VTCC AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
APP	Chiang Mai Approach	129.6 MHz 305.4 MHz	H24 H24	* Emergency Freq.
TWR	Chiang Mai Tower	118.1 MHz *121.5 MHz 236.6 MHz *243.0 MHz	H24 H24 H24 H24	
GND	Ground Control	121.9 MHz 275.8 MHz	H24 H24	
ATIS	Chiang Mai Intl Airport	127.2 MHz 301.5 MHz	H24 H24	

VTCC AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR CAT of ILS/MLS (For VOR/ILS/ MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
DVOR / DME	CMA	116.9 MHz CH 116X	H24	184558.06N 985740.38E	318 m	DVOR/DME restriction due to mountainous terrain surround station coverage check does not provide adequate signal at required altitudes in various area as follows: 1. Beyond 40 NM - Radial 350°-080° altitude should not below 8 000 ft - Radial 081°-180° altitude should not below 7 000 ft - Radial 181°-240° altitude should not below 9 000 ft 2. Beyond 20 NM - Radial 241°-349° altitude should not below 12 000 ft
ILS CAT I LOC/DME RWY 36	ICMA	109.9 MHz CH 36X	H24	184707.42N 985746.56E (LOC) 184708.65N 985744.28E (ILS DME)		A. Instrument landing system (ILS) coverage over a sector of 35° either side of the runway center line, no back course. The localizer aerial array is located on the extended runway center line at the distance of 350 m (1155 ft) from the THR of RWY18. Height of the array is 3.9 m (13 ft) B. Glide path 3°

VTCC AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR CAT of ILS/MLS (For VOR/ILS/ MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
GP		333.8 MHz	H24	184521.62N 985742.19E		C. DME paired with localizer Freq. omnidirectional, high power output 125 watts D. VOR coverage 140 NM at 30000 ft. Coverage restricted between R-050 to R-080 beyond 20 NM below 6500 ft R-271 to R-355 unserviceable. AVBL 24 HR
LMM	MA	201 kHz		184439.46N 985746.17E		
TACAN	CHM	CH 109	Mon-Fri 0200- 0500	1846.2N 9858.2E		PN to ATC.

VTCC AD 2.20 LOCAL TRAFFIC REGULATIONS

VFR REPORTING POINTS AND LOCAL PROCEDURES

CHIANG MAI INTERNATIONAL AIRPORT

1. Reporting points for VFR flight

In order to expedite and maintain an orderly flow of air traffic into Chiang Mai International Airport, the procedures of the inbound traffic of VFR flight, conventional and prop-jet aircraft, be set up as follows:

- a) Aircraft entering to land from north of Chiang Mai International Airport, shall report over Mae Rim District, designated as MIKE ROMEO (1855.0N 9857.1E), Which is approximately 9 NM on R-353 of CMA VOR. When reaching MR the aircraft will be instructed to join aerodrome traffic circuit accordingly.
- b) Aircraft entering to land from northeast of Chiang Mai International Airport, shall report over Doi Saket District, designated as DELTA SIERRA (1852.5N 9908.5E) and San Sai District, designated as DELTA SIERRA (1851.5N 9903.0E) Which are approximately 12 NM on R-057 and 7 NM on R-043 of CMA VOR respectively. When reaching DS the aircraft will be instructed to join aerodrome traffic circuit accordingly.
- c) Aircraft entering to land from east of Chiang Mai International Airport, shall report over San Kampaeng District, designated as SIERRA KILO (1844.5N 9907.5E) Which is approximately 9 NM on R-099 of CMA VOR. When reaching SK the aircraft will be instructed to join aerodrome traffic circuit accordingly.
- d) Aircraft entering to land from south of Chiang Mai International Airport, shall report over Mae Tha District, designated as MIKE TANGO (1827.5N 9908.0E) and Sarapi District as SIERRA INDIA (1843.0N 9902.0E) Which are approximately 21 NM on R-152 and 5 NM on R-130 of CMA VOR respectively. When reaching SI the aircraft will be instructed to join aerodrome traffic circuit accordingly.

2. Aerodrome traffic circuit

- a) Using runway 18 by entering left traffic circuit only.
- b) Using runway 36 by entering right traffic circuit only.

3. Overhead approach pattern

- a) Using runway 18 by left turn pattern.
- b) Using runway 36 by right turn pattern.

STARTING UP PROCEDURE

1. Chiang Mai International Airport

- 1.1 All IFR aircraft are to call "Ground Control" 5 minutes prior to start up request for ATC clearance.
- 1.2 Pilot are to inform "Ground Control" their call signs, and proposed flight level if it is different from the flight plan when they make the call as item 1.1 above.
- 1.3 In order to provide a more flexible ground traffic movement all domestic departures shall on longer be required to be ready to taxi within 5 minutes after clearance received.

VTCC AD 2.24 CHARTS RELATED TO THE AERODROME

	Page
Aerodrome Chart – ICAO	VTCC AD 2-21
Aircraft Parking/Docking Chart – ICAO	VTCC AD 2-23
Aerodrome Ground Movement Chart – ICAO	VTCC AD 2-25
Aerodrome Obstacle Chart – ICAO Type A-RWY 18/36	VTCC AD 2-27
Area Chart – ICAO	VTCC AD 2-29
Standard Instrument Departure Chart – RWY 18	VTCC AD 2-31
Standard Instrument Departure Chart – RWY 18	VTCC AD 2-32
Standard Instrument Departure Chart – RWY 36	VTCC AD 2-33
Standard Instrument Departure Chart – RWY 36	VTCC AD 2-34
Standard Departure Chart – Instrument - ICAO	VTCC AD 2-35
Standard Departure Chart – Instrument - ICAO	VTCC AD 2-36
Instrument Approach Chart – ICAO – RWY 36 – VOR	VTCC AD 2-39
Instrument Approach Chart – ICAO – RWY 36 – VOR / DME	VTCC AD 2-43
Instrument Approach Chart – ICAO – RWY 18/36 – VOR / DME	VTCC AD 2-44
Instrument Approach Chart – ICAO – RWY 36 – ILS or LLZ	VTCC AD 2-45

THIS PAGE INTENTIONALLY LEFT BLANK

VTCT AD 2. AERODROMES

VTCT AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTCT- CHIANG RAI / MAE FAH LUANG-CHIANG RAI INTERNATIONAL AIRPORT

VTCT AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	195708N 995259E Center Line of RWY, 1500 M from THR RWY21	←
2	Direction and distance from (city)	9 KM, NE from city	
3	Elevation/Reference temperature	390.23 M (1280 FT) / 35° C	
4	Geoid undulation at AD ELEV PSN	Nil	←
5	MAG VAR/Annual change	0° 12' W(2001)/3' E	
6	AD Administration, address, telephone, telefax, telex, AFS	Director of Mae Fah Luang-Chiang Rai Airport Mae Fah Luang-Chiang Rai International Airport 404 Chiang Rai-Maechan Road Rimkok-Baan Doo Sub-District Amphoe Muang, Chiang Rai 57100 Thailand Tel. 66-0-5379 8151, 66-0-5379 8000 Fax. 66-0-5379 3071 AFS: VTCTYDYX	
7	Types of traffic permitted (IFR/VFR)	IFR/VFR	
8	Remarks	Nil	

VTCT AD 2.3 OPERATIONAL HOURS

1	AD Administration	2300-1500, after this period 1 HR PN to ATC
2	Customs and immigration	Customs: Available Immigration: Available
3	Health and sanitation	Available on request
4	AIS Briefing Office	2300-1400
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1430
8	Fuelling	H24
9	Handling	2300-1400
10	Security	2300-1400
11	De-icing	-
12	Remarks	Nil

VTCT AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Not available
2	Fuel/oil types	Jet A-1
3	Fuelling facilities/capacity	1 Jet A-1 Refueller @ 12,000 L
4	De-icing facilities	-
5	Hangar space for visiting aircraft	Not available
6	Repair facilities for visiting aircraft	Not available
7	Remarks	Nil

VTCT AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	Available at the airport and in the city
3	Transportation	Limousines
4	Medical facilities	First aid at AD hospitals in the city
5	Bank and Post Office	Bank: open from 0130-0930
6	Tourist Office	Available at the airport
7	Remarks	Nil

VTCT AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 8
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTCT AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTCT AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Apron Aircraft Stand NR 1-4 Surface: Concrete Strength: PCN 73/R/D/X/T Apron Aircraft Stand NR 5, Military and GA. Apron Surface: Concrete Strength: PCN 73/R/C/X/T
2	Taxiway width, surface and strength	Width: 23 M Surface: Asphaltic Concrete Strength: PCN 84/F/D/X/T
3	ACL location and elevation	Location: At Apron Elevation: 388.55 M (1274 ft)
4	VOR checkpoints	Nil
5	INS checkpoints	See AD Chart
6	Remarks	Nil

VTCT AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Taxiway centre-line are painted in yellow and illuminated guidance signs are provided at various intersections. TWY edge and TWY holding position are provided. Nose-Wheel guide lines at apron. Solid Nose-Wheel guide lines at aircraft stands. RLG Docking System at aircraft Stand number 2 and 3
2	RWY and TWY markings and LGT	RWY marking : RWY Designation, THR, TDZ, Centre-line, Aiming Point and Side Strip RWY LGT : THR, RWY Edge and RWY End lights TWY marking : Center line, Edge and RWY Holding Position TWY LGT : TWY Edge lights
3	Stop bars	Nil
4	Remarks	Nil

VTCT AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY NR/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
Nil			Nil		

VTCT AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Aeronautical Radio of Thailand Company Ltd. Airports of Thailand Public Company Ltd. Thai Airways International Public Company Ltd.
2	Hours of service MET Office outside hours	2300-1500
3	Office responsible for TAF Preparation Periods of validity	Observe METAR every hour Supply TAF from Northern Regional MET Center
4	Trend forecast Interval of issuance	Observe METAR every hour Supply TAF from Northern Regional MET Center
5	Briefing/consultation provided	No
6	Flight documentation Language (s) used	-
7	Charts and other information available for briefing or consultation	Daily Weather Forecast
8	Supplementary equipment available for providing information	AWOS
9	ATS units provided with information	-
10	Additional information (Limitation of service, etc.)	IP system

VTCT AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (m)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
03	030	3 000x45	84/F/D/X/T Asphalt	195625.75N 0995233.51E	390.23 M (1280 FT AMSL)
21	210	3 000x45	84/F/D/X/T Asphalt	195751.10N 09953323.57E	388.77 M (1275 FT AMSL)
Slope of RWY-SWY	SWY dimensions (m)	CWY dimensions (m)	Strip dimensions (m)	OFZ	Remarks
7	8	9	10	11	12
-0.05%	60x60	-	3240x300	-	-
+0.05%	60x60	-	3240x300	-	-

VTCT AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
03	3 000	3 000	3 060	3 000	-
21	3 000	3 000	3 060	3 000	-

VTCT AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THRLG colour WBAR	VASIS (MEHT) PAPI	TDZ,LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
03	Cat I 900 M LIH	GREEN GREEN	PAPI Left 3° Right 3° (65.16 ft)	Nil	Nil	3000 M 60 M White LIH	Red	Red	Nil
21	SALS 420 M LIH	GREEN GREEN	PAPI Left 3° Right 3° (60.66 ft)	Nil	Nil	3000 M 60 M White LIH	Red	Red	Nil

VTCT AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation.	ABN: At Tower Building, FLG WG EV 3 SEC
2	LDI location and LGT Anemometer location and LGT.	LDI: Wind Cone at 900 m. from THR 03 offset to the left side 380 m. , illuminated
3	TWY edge and centre line lighting	EDGE: All TWY
4	Secondary power supply/switch-over time	Secondary power supply to all lighting at AD. Switch-over time 12 SEC.
5	Remarks	Nil

VTCT AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	Nil
2	TLOF and/or FATO elevation M/FT	Nil
3	TLOF and FATO area dimensions, surface, strength, marking	Nil
4	True BRG of FATO	Nil
5	Declared distance available	Nil
6	APP and FATO lighting	Nil
7	Remarks	Nil

VTCT AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	A circle of 5 NM radius centred on CTR DVOR/DME (195653.65N0995300.12E)
2	Vertical limits	2 000 ft/AGL
3	Airspace classification	C
4	ATS unit call sign Language (S)	Chiang Rai Tower En, Thai
5	Transition altitude	11 000 ft
6	Remarks	Nil

VTCT AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
APP	Chiang Rai Approach	120.05 MHz 257.8 MHz	} 2300-1430	*Emergency Freq.
TWR	Chiang Rai Tower	*121.5 MHz 118.40 MHz 236.6 MHz		
G/A/G	Chiang Rai Radio	6667 kHz 5520 kHz		Primary Freq. } Upper Secondary Freq. } Side band
ATIS	Chiang Rai Intl	277 kHz		

VTCT AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, CAT of ILS/ MLS(For VOR/ILS/ MLS, give VAR)	ID	Frequency	Hours of oper- ation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NDB	CT	277 kHz	H24	195735.1N 0995259.1E		Coverage restricted as follows: - 25 NM from 140°- 360° at 5500 ft - 25 NM from 360°- 280° at 7500 ft - 40 NM from 280°-180° at 7500 ft - 40 NM from 180°-140° at 6000 ft
DVOR/DME	CTR	116.5 MHz CH 112X	H24	195653.65N 0995300.12E (WGS-84)		DVOR/DME restriction, due to mountainous terrain surround DVOR/DME station coverage check does not provide adequate signal to 40 NM at required altitudes and distance in various areas as following: - Radial 271°-340° at 20 NM ALT should not below 6,500 ft. (Due to border limited.) - Radial 341°-140° at 20 NM ALT should not below 5,000 ft. (Due to border limited.) - Radial 141°-180° at 40 NM ALT should not below 5,000 ft. - Radial 181°-210° at 40 NM ALT should not below 7,500 ft. - Radial 211°-240° at 40 NM ALT should not below 9,000 ft. -Radial 241°-260° at 40 NM ALT should not below 12,000 ft. - Radial 261°-270° at 40 NM ALT should not below 10,000 ft. DVOR/DME unusable due to roughness on radial 340 distance between 7-9 DME at altitude 6,000 ft. DVOR/DME unusable due to roughness on radial 143 distance between 13-15 DME at altitude 4,500 ft.
ILS CAT I LOC/DME RWY 03	ICTR	109.5 MHz CH32 X	H24	195759.5N 0995328.5E		A. Instrument Landing System (ILS) coverage over a sector of 35 either side of the runway centre line, no back course. The antenna array is located on the extended runway centre line at the distance of 300 m from the threshold of RWY 21, height of the array is 2 m. B. Glide Path 3° . C. Middle marker distance 1 150 m from approached of RWY 03. D. DME co - located with localizer, power output 100 watts omnidirectional.
GP		332.6 MHz	H24	195632.6N 0995242.6E		
MM		75 MHz	H24	195552.9N 0995214.0E		

VTUO AD 2. AERODROMES

VTUO AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTUO - BURI RAM / BURI RAM AIRPORT

VTUO AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	151336.36N 1031504.41E	←
2	Direction and distance from (city)	30 km from city	
3	Elevation/Reference temperature	590 ft/28° C	
4	MAG VAR/Annual change	0°40' W (2010) / 2'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Buri Ram Airport Buri Ram Airport Buri Ram Province Thailand. Telephone: (044) 680-086-7, 680-077, 680-082 FAX : (044) 680-079 (102) AFS : VTUOYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTUO AD 2.3 OPERATIONAL HOURS

1	AD Administration	2300-1300, after this period 1 HR PN to ATC
2	Customs and immigration	NIL
3	Health and sanitation	-
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	-
7	ATS	2300-1100
8	Fuelling	-
9	Handling	-
10	Security	-
11	De-icing	-
12	Remarks	Nil

VTUO AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	-
3	Fuelling facilities/capacity	-
4	De-icing facilities	-
5	Hangar space for visiting aircraft	-
6	Repair facilities for visiting aircraft	-
7	Remarks	Nil

VTUO AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city
3	Transportation	Limousine
4	Medical facilities	-
5	Bank and Post Office	-
6	Tourist Office	-
7	Remarks	Nil

VTUO AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 5
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTUO AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTSE AD 2. AERODROMES

VTSE AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTSE - CHUMPHON/CHUMPHON AIRPORT

VTSE AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	104240.33N 992142.16E Centre RWY 1050 m from THR 06	←
2	Direction and distance from (city)	35 km N	
3	Elevation/Reference temperature	18 ft /35°C	
4	MAG VAR/Annual change	0°34' W (2010) / 1'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Chumphon Airport Chumphon Airport Amphoe Pathiu, Chumphon Thailand 86160 TEL: (077) 591263-9 FAX: (077) 591272 AFS: VTSEYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTSE AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	0100-0900 (Mon-Fri)*
5	ATS Reporting Office (ARO)	0100-0900 (Mon-Fri)*
6	MET Briefing Office	On request
7	ATS	2300-1100
8	Fuelling	-
9	Handling	-
10	Security	H24
11	De-icing	-
12	Remarks	*Other this period and holiday 3 HR PN to ATC

VTSE AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil
2	Fuel/oil types	Nil
3	Fuelling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	-

VTSE AD 2.5 PASSENGER FACILITIES

1	Hotels	Near AD and in the city
2	Restaurants	In the city
3	Transportation	Available
4	Medical facilities	First aid at AD, hospital in town and in the city
5	Bank and Post Office	In town and in the city
6	Tourist Office	In the city
7	Remarks	-

VTSE AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 3
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

VTSE AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTUK AD 2. AERODROMES

VTUK AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTUK - KHON KAEN/KHON KAEN AIRPORT

VTUK AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	162752.39N 1024656.19E	←
2	Direction and distance from (city)	APRX 6 km SE from the city	
3	Elevation/Reference temperature	670 ft /37° C	
4	MAG VAR/Annual change	0° 45' W (2010) / 2'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Khon Kaen Airport Khon Kaen Airport 68/24 Moo 5, Tambon Banped Amphoe Muang, Khon Kaen Province 40000. Thailand. Telephone : (043) 246662 FAX. : (043) 244123 AFS : VTUKYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTUK AD 2.3 OPERATIONAL HOURS

1	AD Administration	2300-1500 ,after this period 1 HR PN to ATC
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	2300-1400
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1430 Other than this period 1 HR PN to ATC
8	Fuelling	0100-1300
9	Handling	-
10	Security	-
11	De-icing	-
12	Remarks	Nil

VTUK AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	JET A-1
3	Fuelling facilities/capacity	1 JET A-1 Refueller @ 12,000 L 1 JET A-1 Refueller @ 8,000 L 1 AVGAS Refueller @ 3,000 L
4	De-icing facilities	-
5	Hangar space for visiting aircraft	-
6	Repair facilities for visiting aircraft	-
7	Remarks	Nil

VTUK AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	Available at the airport and in the city
3	Transportation	Taxi and car hire from the airport
4	Medical facilities	-
5	Bank and Post Office	Bank : open from 0030-1300 Post office : open from 0100-0830
6	Tourist Office	-
7	Remarks	Nil

VTUK AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 8
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTUK AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTSG AD 2. AERODROMES

VTSG AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTSG - KRABI/KRABI AIRPORT

VTSG AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	080600.59N 985907.13E 1500 m FM THR RWY14
2	Direction and distance from (city)	10 km NE from city
3	Elevation/Reference temperature	93 ft /TEMP 30°C
4	MAG VAR/Annual change	0°32' W (2010) / 1'W
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Krabi Airport Krabi Airport Amphoe Naua Khlong, Krabi Province Thailand 81130 TEL: 0-7563-6541-2 FAX: 0-7563-6549 AFS: VTSGYDYX
6	Types of traffic permitted (IFR/VFR)	IFR/VFR
7	Remarks	-

VTSG AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	-
5	ATS Reporting Office (ARO)	2330-1130
6	MET Briefing Office	HJ
7	ATS	2330-1130 Other than this period 1 HR PN to ATC
8	Fuelling	0100-1000
9	Handling	-
10	Security	H 24
11	De-icing	-
12	Remarks	-

VTSG AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	JET A-1
3	Fuelling facilities/capacity	2 JET A-1 Refueller @ 12,000 L 1 JET A-1 Refueller @ 3,000 L
4	De-icing facilities	-
5	Hangar space for visiting aircraft	-
6	Repair facilities for visiting aircraft	-
7	Remarks	-

VTSG AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	Airport
3	Transportation	Limousines - car rent
4	Medical facilities	First AID at AD and hospital in the city
5	Bank and Post Office	Money exchange service available between 0200-1100 UTC, but postal services not available
6	Tourist Office	HJ
7	Remarks	-

VTSG AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 9
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	-

VTSG AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTSG AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, CAT of ILS/ MLS(For VOR/ILS/ MLS, give VAR)	ID	Frequency	Hours of oper- ation	Site of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NDB	KB	299 kHz	H24	080619.0N 0985828.25E (WGS-84)	-	50 NM coverage restricted as follow : BRG 090-160 DEG ALT should not below 4000 ft. BRG 161-270 DEG ALT should not below 1500 ft. BRG 271-300 DEG ALT should not below 5000 ft. BRG 351-089 DEG ALT should not below 7000 ft. BRG 301-350 DEG excessive needle oscillation out of tolerances.
DVOR/DME	KBI	111.0 MHz CH47X		080627.19N 0985839.07E (WGS-84)		DVOR/DME restriction, due to mountainous terrain surround DVOR/DME station coverage check does not provide adequate signal to 40 NM at required altitude in various areas 1. 40 NM clockwise orbit flown from -RDL 001-039 degree ALT should not below 3,500 ft. -RDL 040-270 degree ALT should not below 3,000 ft. -RDL 271-300 degree ALT should not below 5,000 ft. -RDL 351-360 degree ALT should not below 4,000 ft. 2.30 NM clockwise orbit flown from -RDL 301-350 degree ALT should not below 7,000 ft.
ILS CAT I LOC RWY 32	IKBI	110.1 MHz CH 38X		080630.62N 0985842.38E		Designated operation coverage 18 NM, ALT 6300 ft/AMSL.
DME				080629.46N 0985840.31E	71 ft	Paired with LOC freq.
GP		334.4 MHz		080519N 0985946.6E		3.2 DEG,RDH 15.13 M (55.05 ft)

VTSG AD 2.20 LOCAL TRAFFIC REGULATION

1. For preventing runway pavement structural damage, aircraft with weight equivalent to or heavier than B737 or A319 are not allowed to make 180 degree turn on the runway. The turn shall be made on the runway turnpad located near the threshold of runway 32.

2. Traffic departing runway 14 may be delayed in the apron or on the appropriate taxiway in case there is a landing traffic on runway 32.

VTCL AD 2. AERODROMES

VTCL AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTCL – LAMPANG / LAMPANG AIRPORT

VTCL AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	181619.62N 993014.62E	←
2	Direction and distance from (city)	2 km, N from city	
3	Elevation/Reference temperature	811 ft /37°C	
4	MAG VAR/Annual change	0° 48' W (2010) / 2'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Lampang Airport Lampang Airport 175 Thanon Sanambin 1, Tambon Phrabaht Amphoe Muang, Lampang Province 52000 Thailand. TEL. 0-5482-1514, 0-5482-1510, 0-5482-1507 FAX. 0-5482-1509 AFS : VTCLYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTCL AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ	←
2	Customs and immigration	-	
3	Health and sanitation	-	
4	AIS Briefing Office	HJ	←
5	ATS Reporting Office (ARO)	-	
6	MET Briefing Office	-	
7	ATS	2300-1100	

VTCL AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city	
2	Restaurants	In the city	←
3	Transportation	Taxi	

VTCL AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 5
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTCL AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTCL AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: Concrete Strength: PCN 41 / R / C / X / T
2	Taxiway width, surface and strength	Width: 23 M Surface: Asphalt Strength PCN 41 / F / C / X / T
3	ACL location and elevation	-
4	VOR/INS checkpoint	-
5	Remarks	Nil

VTCL AD 2.10 AERODROME OBSTACLES

In approach /TKOF areas			In circling areas and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings /LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	-
a	b	c	a	b	
-	Radio mast, HGT 410 ft. Painted red/ white LGTD on top.	181700N 993100E	Gymnasium Building HGT 19 M, dist 616 M From THR RWY 18 LGTD on top.	181709N 993013E	

VTCL AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Aeronautical Radio of Thailand Company Ltd. Airports of Thailand Public Company Ltd. Thai Airways International Public Company Ltd.
2	Hours of service MET Office outside hours	0130-1130
3	Office responsible for TAF Preparation Periods of validity	Supply TAF from Northern Regional Met. Center
4	Type of landing forecast Interval of issuance	Supply TAF from Northern Regional Met. Center
5	Briefing/consultation provided	No
6	Flight documentation Language (s) used	-
7	Charts and other information available for briefing or consultation	Daily Weather Forecast
8	Supplementary equipment available for providing information	AWOS
9	ATS units provided with information	-
10	Additional information (Limitation of service, etc.)	IP system

VTCL AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE & MAG BRG	Dimensions of RWY (m)	Strength (PCN) and surface of RWY and SWY	THR coordinates	THR elevation and highest elevation of TDZ of precision APP RWY	
1	2	3	4	5	6	
18	175.27°	1 975 x 30	41/F/C/X/T Asphalt	181641.91N 0993012.76E (WGS-84)	THR 789 ft TDZ 797 ft	
36	355.27°	1 975 x 30	41/F/C/X/T Asphalt	181547.58N 0993017.31E (WGS-84)	THR 811 ft TDZ 811 ft	
Slope of RWY-SWY		SWY dimensions (m)	CWY dimension (m)	Strip dimensions (m)	OFZ	Remarks
7		8	9	10	11	12
-		Nil	Nil	2135 x 53	-	-
-		60 x 30	Nil	2135 x 53	-	-

VTCL AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
18	1875	1875	1975	1775	-
36	1775	1775	2035	1875	-

VTCL AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ,LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (m) colour	Remarks
1	2	3	4	5	6	7	8	9	10
18	Nil	GREEN	PAPI Left 3° (15.72 m)	Nil	Nil	1750 m 60 m White LIH	Red	Nil	Nil
36	RTIL	GREEN	PAPI Left 3° (15.72 m)	Nil	Nil	1750 m 60 m White LIH	Red	Nil	Nil

VTCL AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation.	ABN: At Tower Building, FLG W G EV 7 SEC.
2	LDI location and LGT Anemometer location and LGT.	-
3	TWY edge and centre line lighting	EDGE: All taxiways
4	Secondary power supply/switch-over time	Secondary power supply to all lighting at the airport. Switch-over time 15 SEC.
5	Remarks	Nil

VTUL AD 2. AERODROMES

VTUL AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTUL - LOEI / LOEI AIRPORT

VTUL AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	172620.88N 1014319.43E
2	Direction and distance from (city)	5 KM, from city
3	Elevation/Reference temperature	860 FT /30°C
4	MAG VAR/Annual change	0°48' W (2010) / 2'W
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Loei Airport Loei Airport Loei Province 42000 Thailand. Tel. 0 4281 2654, 0 4281 1521 Fax. 0 4281 2654 AFS: VTULYDYX
6	Types of traffic permitted (IFR/VFR)	IFR/VFR
7	Remarks	Nil

VTUL AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	-
3	Health and sanitation	-
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	Available on request 4 HR PN in advance to Udonthani Aerodrome Control Tower and Loei Approach Control Unit via AFTN VTUDZTZX and VTBBZAZX or FAX 0 4224 6803 ext 7109 and 0 2285 9610

VTUL AD 2.5 PASSENGER FACILITIES

1	Hotels	in the city
2	Restaurants	in the city

VTUL AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 5
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTUL AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTUL AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface : Concrete Strength: PCN 45/R/C/X/T
2	Taxiway width, surface and strength	Width: 23 M Surface : Asphaltic Concrete Strength: PCN 42/F/C/X/T

VTUL AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	-
2	RWY and TWY markings and LGT	RWY and TWY: Marked

VTUL AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling areas and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
-	Radio mast HGT 110 M, painted red/white LGTD on top.	172800N 1014220E	-	-	

VTCH AD 2. AERODROMES

VTCH AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTCH - MAE HONG SON / MAE HONG SON AIRPORT

VTCH AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	191806.18N 975830.20E	←
2	Direction and distance from (city)	2 km NE, from city	
3	Elevation/Reference temperature	929 ft /30°C	
4	MAG VAR/Annual change	0° 48'W (2010) / 1'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Mae Hong Son Airport Mae Hong Son Airports Niwet Pisan Road Amphoe Muang, Mae Hong Son 58000 Thailand. Tel. (053)612057, 611499 Fax. (053)611499 AFS: VTCHYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTCH AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1100

VTCH AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city
3	Transportation	Taxis

VTCH AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 6
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTCH AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTCH AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: Asphalt Strength: PCN 41/F/C/X/T (Apron 1) PCN 45/R/C/X/T (Apron 2)
2	Taxiway width, surface and strength	Width: 23 m Surface: Asphalt Strength: PCN 41/F/C/X/T

VTCH AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Taxiway centre-line are painted in yellow and illuminated guidance signs are provided at various intersections. TWY edge and TWY holding position are provided. Guide lines at apron.
2	RWY and TWY markings and LGT	RWY and TWY Marked and lighted

VTCH AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling areas and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	-
a	b	c	a	b	
-	Radio mast HGT 78 m, painted red / white LGTD on top. Radio mast HGT 315 m, painted red / white LGTD on top.	191717N 975805E 191810N 975845E	-	-	

VTCI AD 2. AERODROMES

VTCI AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTCI - MAE HONG SON / PAI AIRPORT

VTCI AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	192219.23N 982609.11E	←
2	Direction and distance from (city)	1 km. from town.	
3	Elevation/Reference temperature	1676 ft / 38°C	
4	MAG VAR/Annual change	0° 49'W (2010) / 1'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Mae Hong Son Airport Mae Hong Son Airports Niwet Pisan Road Amphoe Muang, Mae Hong Son 58000 Thailand. Tel. (053)612057, 611499 Fax. (053)611499	
6	Types of traffic permitted (IFR/VFR)	VFR only	
7	Remarks	Nil	

VTCI AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ (Sunrise-Sunset)
2	Customs and immigration	-
3	Health and sanitation	-
4	AIS Briefing Office	-
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	-

VTCI AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	Available at the city
3	Transportation	-

VTCT AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	-
2	Rescue equipment	-
3	Capability for removal of disabled aircraft	-
4	Remarks	-

VTCT AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTCT AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: Asphaltic Concrete Strength: 5700 kg / 0.50 MPa
2	Taxiway width, surface and strength	Width: 10 m. Surface: Asphaltic Concrete Strength: 5700 kg / 0.50 MPa

VTCT AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	-
2	RWY and TWY markings and LGT	-

VTCT AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling areas and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	-
a	b	c	a	b	
01/APP	TREE (A) 522.61 m.	19 22 1.21N 98 26 4.00E	MAST (C) 524.60 m.	19 22 8.98N 98 26 3.99E	
	TREE (A) 521.60 m.	19 22 4.50N 98 26 3.69E	TREE (D) 533.60 m.	19 22 4.38N 98 26 7.86E	
			MAST (E) 524.60 m.	19 22 5.19N 98 26 3.05E	
			MAST (F) 524.60 m.	19 22 6.45N 98 26 3.39E	
			MAST (G) 524.60 m.	19 22 7.70N 98 26 3.75E	

VTUW AD 2. AERODROMES

VTUW AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTUW- NAKHON PHANOM / NAKHON PHANOM AIRPORT

VTUW AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	172307.22N 1043830.80E
2	Direction and distance from (city)	15 km W from city
3	Elevation/Reference temperature	587 ft
4	MAG VAR/Annual change	0° 52'W (2010) / 2'W
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Nakhon Phanom Airport Nakhon Phanom Airport Tambon Photak, Amphoe Muang Nakhon Phanom Province 48000 Thailand. TEL. (042) 587213 FAX. (042) 587215 AFS : VTUWYDYX
6	Types of traffic permitted (IFR/VFR)	IFR/VFR
7	Remarks	Nil

VTUW AD 2.3 OPERATIONAL HOURS

1	AD Administration	2300-1230
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1100
8	Fuelling	0100-1100

VTUW AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	Nil
3	Fuelling facilities/capacity	Nil

VTUW AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city
3	Transportation	Taxis, Limousine

VTUW AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 5
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTUW AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTUW AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: Concrete Strength: PCN 61/R/C/X/T
2	Taxiway width, surface and strength	Width: 23 M Surface: Asphaltic Concrete Strength: PCN 41/F/C/X/T
3	ACL location and elevation	-
4	VOR/INS checkpoints	-
5	Remarks	Nil

**VTUW AD 2.9 SURFACE MOVEMENT GUIDANCE AND
CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	-
2	RWY and TWY markings and LGT	RWY : Marked

VTUW AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Aeronautical Radio of Thailand Company Ltd. Airports of Thailand Public Company Ltd. Thai Airways International Public Company Ltd.
2	Hours of service MET Office outside hours	SUN 0100-0200, MON 0830-0900 TUE FRI 2230-2330, WED THU SAT 1130-1230
3	Office responsible for TAF Preparation Periods of validity	Supply TAF from Northeastern Regional Met. Center
4	Type of landing forecast Interval of issuance	Supply TAF from Northeastern Regional Met. Center
5	Briefing/consultation provided	No
6	Flight documentation Language (s) used	-
7	Charts and other information available for briefing or consultation	Daily Weather Forecast
8	Supplementary equipment available for providing information	-
9	ATS units provided with information	-
10	Additional information (Limitation of service, etc.)	IP system

VTUQ AD 2. AERODROMES

VTUQ AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTUQ – NAKHON RATCHASIMA / NAKHON RATCHASIMA AIRPORT

VTUQ AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	145658.19N 1021845.86E Centre of RWY 1050 m from THR RWY06	←
2	Direction and distance from (city)	26 km N	
3	Elevation/Reference temperature	765 ft /41°C	
4	MAG VAR/Annual change	0°39'W (2010) / 2'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Nakhon Ratchasima Airport Nakhon Ratchasima Airport Amphoe Chalermprakiat, Nakhon Ratchasima Province, Thailand. TEL. (044) 255899, 259534, 259686-8 FAX. (044) 259689 AFS : VTUQYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTUQ AD 2.3 OPERATIONAL HOURS

1	AD Administration	2300-1200
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	HJ*
5	ATS Reporting Office (ARO)	HJ*
6	MET Briefing Office	2300-1200
7	ATS	2300-1100
8	Fuelling	-
9	Handling	-
10	Security	-
11	De-icing	-
12	Remarks	*Other this period 3 HRS PN to ATC

VTUQ AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	-
3	Fuelling facilities/capacity	-
4	De-icing facilities	-
5	Hangar space for visiting aircraft	-
6	Repair facilities for visiting aircraft	-
7	Remarks	-

VTUQ AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city
3	Transportation	Limousine
4	Medical facilities	-
5	Bank and Post Office	-
6	Tourist Office	-
7	Remarks	Nil

VTUQ AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 5
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTUQ AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTSF AD 2. AERODROMES

VTSF AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTSF - NAKHON SI THAMMARAT/NAKHON SI THAMMARAT AIRPORT

VTSF AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	083222.62N 995641.01E Centre of RWY 1060 M. from THR RWY19	←
2	Direction and distance from (city)	10 KM N, from city	
3	Elevation/Reference temperature	4 M (13 FT) /33°C	
4	MAG VAR/Annual change	0°27' W (2010) / 1'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Nakhon Si Thammarat Airport Nakhon Si Thammarat Airport Amphoe Muang, Nakhon Si Thammarat Province Thailand 80000 TEL: (075) 369540, 369541, 369543 FAX: (075) 369542 AFS: VTSFYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTSF AD 2.3 OPERATIONAL HOURS

1	AD Administration	2300-1400	←
2	Customs and immigration	-	
3	Health and sanitation	-	
4	AIS Briefing Office	HJ*	
5	ATS Reporting Office (ARO)	HJ*	
6	MET Briefing Office	-	
7	ATS	2300-1100	
8	Fuelling	0100-1000	
9	Handling	-	
10	Security	-	
11	De-icing	-	
12	Remarks	*Other this period 3 HRS PN to ATC	

VTSF AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	-
3	Fuelling facilities/capacity	-
4	De-icing facilities	-
5	Hangar space for visiting aircraft	-
6	Repair facilities for visiting aircraft	-
7	Remarks	-

VTSF AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city
3	Transportation	Taxi, Limousine
4	Medical facilities	-
5	Bank and Post Office	In the city
6	Tourist Office	In the city
7	Remarks	Nil

VTSF AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 6
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTSF AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTCN AD 2. AERODROMES**VTCN AD 2.1 AERODROME LOCATION INDICATOR AND NAME****VTCN - NAN / NAN AIRPORT****VTCN AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	184828.49N 1004700.31E	←
2	Direction and distance from (city)	3 km N, from city	
3	Elevation/Reference temperature	685 ft / 29°C	
4	MAG VAR/Annual change	0°51'W (2010) / 2'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Nan Airport Nan Airport Nan-Thung Chang Road, Moo 2 Tambon passing Amphoe Muang, Nan 55000 Thailand. TEL : (054) 771308, 710270 FAX : (054) 771650 AFS : VTCNYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTCN AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1100

VTCN AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city

VTCN AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 5
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTCN AD 2.7 SEASONAL AVAILABILITY -CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTCN AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface : Concrete Strength : PCN 45/R/C/X/T
2	Taxiway width, surface and strength	Width : 20 m Surface : Asphaltic Concrete Strength : PCN 37/F/C/X/T

**VTCN AD 2.9 SURFACE MOVEMENT GUIDANCE AND
CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	-
2	RWY and TWY marking and LGT	RWY AND TWY : Marked and lighted.

VTCN AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling areas and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
-	-	-	Radio mast erected at field right side of RWY 20,215 m from centre line, height 24 m and the another, height 153 m , both painted red and white alternatively lighted by red light on top	184430N 1004435 E	

VTSC AD 2. AERODROMES**VTSC AD 2.1 AERODROME LOCATION INDICATOR AND NAME****VTSC – NARATHIWAT / NARATHIWAT AIRPORT****VTSC AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	063123.66N 1014441.43E	←
2	Direction and distance from (city)	13 km SE, from city	
3	Elevation/Reference temperature	18 ft /29°C	
4	MAG VAR/Annual change	0°12'W (2010) / 1'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Narathiwat Airport Narathiwat Airport Main Office, Narathiwat Province Thailand. TEL. (073) 511595 FAX. (073) 512572 AFS: VTSCZTZX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTSC AD 2.3 OPERATIONAL HOURS VTSC

1	AD Administration	HJ
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1100

VTSC AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city

VTSC AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 6
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTSC AD 2.7 SEASONAL AVAILABILITY –CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTSC AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface : Concrete Strength : PCN 45/R/C/X/T
2	Taxiway width, surface and strength	Width : 23 m Surface : Asphaltic Concrete Strength : PCN 43/F/C/X/T

VTSC AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	-
2	RWY and TWY marking and LGT	RWY AND TWY : Marked and lighted.

VTSC AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	VIP Flight Aeronautical Radio of Thailand Company Ltd.
2	Hours of service MET Office outside hours	0000-0900
3	Office responsible for TAF Preparation Periods of validity	Supply TAF from Southern (Eastcoast) Regional Met.
4	Type of landing forecast Interval of issuance	Supply TAF from Southern (Eastcoast) Regional Met.
5	Briefing/consultation provided	No
6	Flight documentation Language (s) used	-
7	Charts and other information available for briefing or consultation	Daily Weather Forecast
8	Supplementary equipment available for providing information	AWOS, Radar
9	ATS units provided with information	-
10	Additional information (Limitation of service, etc.)	IP system

VTSC AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE & MAG BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates	THR elevation highest elevation of TDZ of precision APP RWY	
1	2	3	4	5	6	
02	22.35°	2000x45	41/F/C/X/T Asphaltic Concrete	063041.80N 1014423.27E (WGS-84)	THR 18 ft TDZ 18 ft	
20	202.35°	2000x45	41/F/C/X/T Asphaltic Concrete	063141.64N 1014449.22E (WGS-84)	THR18 ft TDZ 18 ft	
Slope of REW-SWY		SWY dimensions (m)	CWY dimension (m)	Strip dimensions (m)	OFZ	Remarks
7		8	9	10	11	12
-		60x45	-	2240x300	-	-
-		60x45	-	2240x300	-	-

VTSK AD 2. AERODROMES

VTSK AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTSK - PATTANI / PATTANI AIRPORT

VTSK AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	064708.55N 1010913.09E	←
2	Direction and distance from (city)	16 km S, from city	
3	Elevation/Reference temperature	8 ft /35°C	
4	MAG VAR/Annual change	0°16' W (2010) / 1'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Air Task Force 9, Royal Thai Air Force Pattani Airport Amphoe Nongjig, Pattani Province 94170 Thailand. TEL. 0 7343 1190, 0 7343 7023 FAX. 0 7343 1195 AFS: VTSKYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTSK AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300 -1100, outside this period 1 HR PN to Pattani Tower

VTSK AD 2.5 PASSENGER FACILITIES

1	Hotels	in the city
2	Restaurants	in the city
3	Transportation	Taxi

VTSK AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Nil
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTSK AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTSK AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface : Asphaltic Concrete Strength : PCN 27/F/A/Y/T
2	Taxiway width, surface and strength	Width : 20 m Surface : Asphaltic Concrete Strength : PCN 27/F/A/Y/T

VTSK AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual/docking/parking system of aircraft stands	-
2	RWY and TWY marking and LGT	RWY and TWY : Markings and lighted

VTSK AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	-
a	b	c	a	b	
-	Radio mast HGT 30 m painted red/ white LGTD on top.	073500N 993700E	-	-	

VTSK AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	-
2	Hours of service MET Office outside hours	Nil
3	Office responsible for TAF Preparation Periods of validity	supply TAF from Southern (Eastcoast) Regional Met. Center
4	Type of landing forecast Interval of issuance	supply TAF from Southern (Eastcoast) Regional Met. Center
5	Briefing/consultation provided	No
6	Flight documentation Language (s) used	-
7	Charts and other information available for briefing of consultation	Daily Weather Forecast
8	Supplementary equipment available for providing information	-
9	ATS units provided with information	-
10	Additional information (Limitation of service, etc.)	IP system

VTPB AD 2. AERODROMES

VTPB AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTPB - PHETCHABUN / PHETCHABUN AIRPORT

VTPB AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	164033.71N 1011142.39E	←
2	Direction and distance from (city)	36 km N, from city	
3	Elevation/Reference temperature	450 ft	
4	MAG VAR/Annual change	0°45' W (2010)/ 2'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Phetchabun Airport Phetchabun Airport Tambon Lanbah, Amphoe Lomsak, Phetchabun Province 67110, Thailand TEL: 0-5682-4326-9 FAX: 0-5682-4326 Ext. 102 AFS: VTPBYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTPB AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	-
3	Health and sanitation	-
4	AIS Briefing Office	see item 7 - ATS
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1100
8	Fuelling	-
9	Handling	-
10	Security	-
11	De-icing	-
12	Remarks	Nil

VTPB AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	-
3	Fuelling facilities/capacity	-
4	De-icing facilities	-
5	Hangar space for visiting aircraft	-
6	Repair facilities for visiting aircraft	-
7	Remarks	Nil

VTPB AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city
3	Transportation	Limousine from the airport
4	Medical facilities	-
5	Bank and Post Office	-
6	Tourist Office	-
7	Remarks	Nil

VTPB AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 5
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTPB AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTPP AD 2. AERODROMES

VTPP AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTPP – PHITSANULOK / PHITSANULOK AIRPORT

VTPP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	164658.56N 1001644.85E	←
2	Direction and distance from (city)	3 km N, from city	
3	Elevation/Reference temperature	145 ft / 40°C	
4	MAG VAR/Annual change	0°45 'W (2010) / 2'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Phitsanulok Airport Phitsanulok Airport Phitsanulok Province Thailand. TEL. (055) 301010-13 FAX. (055) 301009 AFS : VTPPYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTPP AD 2.3 OPERATIONAL HOURS

1	AD Administration	2300-1430
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	2300-1430
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	H24
8	Fueling	0100-1430

VTPP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	JET A-1 AVGAS
3	Fueling facilities/capacity	2 JET A-1 Refueller @ 12,000 L 1 AVGAS Refueller @ 3,000 L

VTTP AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city
3	Transportation	Limousine and car hire from the airport
4	Medical facilities	-
5	Bank and Post Office	Bank : Nil Post Office : Open from 0130-0930

VTTP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 6
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTTP AD 2.7 SEASONAL AVAILABILITY -CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTTP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Width : 137.5 m Surface : Concrete / Asphaltic Concrete Strength : PCN 45/F/C/X/T, PCN 61/F/C/X/T
2	Taxiway width, surface and strength	Width : 23 m Surface : Asphaltic Concrete Strength : PCN 45/F/C/X/T, PCN 61/F/C/X/T
3	ACL Location and elevation	-
4	VOR/INS checkpoints	-
5	Remarks	Nil

VTTP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Marked
2	RWY and TWY marking and LGT	RWY AND TWY : Marked and lighted.
3	Stop bars	Marked
4	Remarks	NIL

VTCP AD 2. AERODROMES

VTCP AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTCP - PHRAE / PHRAE AIRPORT

VTCP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	180754.17N1000952.62E	←
2	Direction and distance from (city)	3 km E, from city	
3	Elevation/Reference temperature	538 ft /27°C	
4	MAG VAR/Annual change	0° 48' W (2010) / 2' W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Phrae Airport Phrae Airport 104 Chohae Road, Tambon Nachack Amphoe Muangphrae, Phrae Province 54000 Thailand. Tel. 0 5451 1184, 0 5452 2706 Fax. 0 5452 2705 AFS: VTCPYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTCP AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	-
3	Health and sanitation	-
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1100
8	Fuelling	0100-1000

VTCP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	-
3	Fuelling facilities/capacity	-

VTCP AD 2.5 PASSENGER FACILITIES

1	Hotels	in the city
2	Restaurants	in the city

VTCP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 4
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTCP AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTCP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: Asphaltic concrete Strength: PCN 20/F/C/X/T
2	Taxiway width, surface and strength	Width: 15 m Surface: Asphaltic concrete Strength: PCN 20/F/C/X/T

VTCP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	-
2	Taxiway width, surface and strength	RWY and TWY : Markings and lighted

VTCP AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling areas and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
-	Radio mast HGT 75 m painted red/ white LGTD on top.	10840N 1000850E	-	-	
	Radio mast HGT 80 m	181036N 1001116E			-

VTPH AD 2. AERODROMES

VTPH AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTPH- PRACHUAP KHIRIKHAN /HUA HIN AIRPORT

VTPH AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	123749.15N 995712.40E	←
2	Direction and distance from (city)	7 km, NE from city	
3	Elevation/Reference temperature	62 ft/ 30° C	
4	MAG VAR/Annual change	0°36' W (2010) / 1'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Hua Hin Airport Hua Hin Airport Phetkasem Road, Amphoe Hua Hin Prachuap Khirikhan Province Thailand. Tel. (032) 520181 Fax. (032) 520378 AFS: VTPHYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTPH AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ , Other than this period 1HR PN before 0930 to airport
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	2300-1100
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1100 Other than this period 1 HR PN to ATC
8	Fuelling	2330-1530 Other than this period 1 HR PN to airport
9	Handling	-
10	Security	H24

VTPH AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	JET A-1, AVGAS 100LL
3	Fuelling facilities/capacity	2 Truck JET A-1 30,000 Litres, AVGAS 100LL 20,000 Litres, 750-1100 Litres/Min

VTPH AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the airport
3	Transportation	Limousines, car rent, Taxi
4	Medical facilities	First AID at AD and hospital in the city kilometers
5	Bank	In the airport

VTPH AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 6
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTPH AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTPH AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: Concrete Strength: PCN 45/R/B/Y/T
2	Taxiway width, surface and strength	Width: 23 m Surface: Asphaltic Concrete Strength: PCN 42.F/B/Y/T

VTPH AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	-
2	RWY and TWY markings and LGT	RWY and TWY Marked and lighted

VTSR AD 2. AERODROMES

VTSR AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTSR - RANONG / RANONG AIRPORT

VTSR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	094639.44N 983507.74E	←
2	Direction and distance from (city)	24 km N from city	
3	Elevation/Reference temperature	57 ft	
4	MAG VAR/Annual change	0° 36' W (2010) / 1°W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Ranong Airport Ranong Airport Phetchakasem Road, Ranong Province 85000 Thailand. TEL. (077) 824581-3 FAX. (077) 824580 AFS: VTSRYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTSR AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1100
8	Fuelling	-
9	Handling	-
10	Security	-
11	De-icing	-
12	Remarks	Nil

VTSR AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	-
3	Fuelling facilities/capacity	-
4	De-icing facilities	-
5	Hangar space for visiting aircraft	-
6	Repair facilities for visiting aircraft	-
7	Remarks	Nil

VTSR AD 2.5 PASSENGER FACILITIES

1	Hotels	in the city
2	Restaurants	in the city
3	Transportation	Taxi, Limosine
4	Medical facilities	-
5	Bank and Post Office	-
6	Tourist Office	-
7	Remarks	Nil

VTSR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 6
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTSR AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	-

VTUV AD 2. AERODROMES

VTUV AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTUV - ROI ET/ROI ET AIRPORT

VTUV AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	160700.34N 1034625.67E Centre of RWY 1050 M. from THR RWY 18	←
2	Direction and distance from (city)	16 KM E From city	
3	Elevation/Reference temperature	451 FT /28°C	
4	MAG VAR/Annual change	0°45' W (2010) / 2' W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Roi Et Airport Roi Et Airport, Roi Et-Phonthong Road Tambon Nongphok, Amphoe Thawatchaburi Roi Et Province, 45170 Thailand TEL: (043) 518246-55 FAX: (043) 518253 AFS: VTUVYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTUV AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	-
3	Health and sanitation	-
4	AIS Briefing Office	0100-0900 (Mon-Fri)*
5	ATS Reporting Office (ARO)	0100-0900 (Mon-Fri)*
6	MET Briefing Office	-
7	ATS	2300-1100
8	Fuelling	-
9	Handling	-
10	Security	-
11	De-icing	-
12	Remarks	*Other this period and holiday 3 HRS PN to ATC

VTUV AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	-
3	Fuelling facilities/capacity	-
4	De-icing facilities	-
5	Hangar space for visiting aircraft	-
6	Repair facilities for visiting aircraft	-
7	Remarks	Nil

VTUV AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city
3	Transportation	Taxi and car hire from the airport
4	Medical facilities	Hospital in the city
5	Bank and Post Office	Bank and Post office in the city
6	Tourist Office	Nil
7	Remarks	Nil

VTUV AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 3
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTUV AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTUI AD 2. AERODROMES

VTUI AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTUI – SAKON NAKHON / SAKON NAKHON AIRPORT

VTUI AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	171142.51N 1040707.06E	←
2	Direction and distance from (city)	12 km N from city	
3	Elevation/Reference temperature	57 ft	
4	MAG VAR/Annual change	0° 50'W (2010) / 2'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Sakon Nakhon Airport Sakon Nakhon Airport Sakon Nakhon-Nakhon Phanom Road Amphoe Muang, Sakon Nakhon Province 47000 Thailand. TEL. (042) 712602 FAX. (042)712602 AFS : VTUIYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTUI AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	-
3	Health and sanitation	-
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1100

VTUI AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	Nil

VTUI AD 2.5 PASSENGER FACILITIES

1	Hotels	in the city
2	Restaurants	in the city

VTUI AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 6
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTUI AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTUI AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: Concrete Strength: PCN 41 / R / C / X / T
2	Taxiway width, surface and strength	Width: 23 M Surface: Asphaltic Concrete Strength: PCN 41 / F / C / X / T

**VTUI AD 2.9 SURFACE MOVEMENT GUIDANCE AND
CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Marked
2	RWY and TWY markings and LGT	RWY and TWY: Marked and lighted

VTSB AD 2. AERODROMES

VTSB AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTSB - SURAT THANI / SURAT THANI AIRPORT

VTSB AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	090810.09N 990820.55E	←
2	Direction and distance from (city)	25 km SE from city	
3	Elevation/Reference temperature	20 ft/28°C	
4	MAG VAR/Annual change	0° 32'W (2010)/ 1'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Surat Thani Airport Surat Thani Airport Tambon Huatoi, Amphoe Phunphin Surat Thani Province 84130 Thailand. TEL. (077) 441230, 441349 FAX. (077) 441225 AFS: VTSBYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTSB AD 2.3 OPERATIONAL HOURS

1	AD Administration	2300-1400
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	2300-1400
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	H24
8	Fuelling	0100-1200
9	Handling	-
10	Security	-
11	De-icing	-
12	Remarks	Nil

VTSB AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	JET A-1, AVGAS
3	Fuelling facilities/capacity	1 JET A-1 Refueller @ 12,000 L 1 JET A-1 Refueller @ 3,000 L 1 AVGAS DC Motor Dispenser from drum 200 L
4	De-icing facilities	-
5	Hangar space for visiting aircraft	-
6	Repair facilities for visiting aircraft	-
7	Remarks	Nil

VTSB AD 2.5 PASSENGER FACILITIES

1	Hotels	in the city
2	Restaurants	in the city
3	Transportation	Taxi, Limosine
4	Medical facilities	-
5	Bank and Post Office	Bank: Open daily From 11.00 A.M. -13.00 P.M. 18.00 A.M. -19.30 P.M. Post Office: Nil
6	Tourist Office	-
7	Remarks	Nil

VTSB AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 7
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTSB AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTPT AD 2. AERODROMES

VTPT AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTPT - TAK / TAK AIRPORT

VTPT AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	165345.55N 991513.42E	←
2	Direction and distance from (city)	15 km E, from city	
3	Elevation/Reference temperature	478 ft /38°C	
4	MAG VAR/Annual change	0° 46'W (2010) / 1'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Tak Airport Tak Airport Amphoe Muang, Tak Province 63000 Thailand TEL. (055) 512603 FAX. (055) 514059 AFS: VTPTYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTPT AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	-
3	Health and sanitation	-
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	Available on request 3 hours prior notice required in-advance to Phitsanulok approach control center via AFTN : VTPPZAZX VTPPZTZX or FAX : 055-253016

VTPT AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city

VTPT AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Nil
2	Rescue equipment	Nil
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTPT AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTPT AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface : Asphaltic Concrete Strength : PCN 16 / F / C / X / T
2	Taxiway width, surface and strength	Width : 15 m Surface : Asphaltic Concrete Strength : PCN 16 / F / C / X / T

**VTPT AD 2.9 SURFACE MOVEMENT GUIDANCE AND
CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	-
2	RWY and TWY markings and LGT	RWY and TWY: Marked

VTPT AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
-	Radio mast HGT 164000N 98 ft, painted 983300E red/white LGTD on top Radio mast HGT 164207N 82 ft, painted 983218E red/white LGTD on top *2 Radio mast HGT 60 m (See RMK)		-	-	
					1. DIST 600 m on radial 340 FM MST DVOR 2. DIST 1300 m on radial 270 FM MST DVOR 3. Both painted red/ white LGTD on top

VTPM AD 2. AERODROMES

VTPM AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTPM - TAK / MAE SOT AIRPORT

VTPM AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	164159.40N 983236.54E	←
2	Direction and distance from (city)	5 km W, from city	
3	Elevation/Reference temperature	690 ft / 37°C	
4	MAG VAR/Annual change	0° 46'W (2010) / 1'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Mae Sot Airport Mae Sot Airport Amphoe Mae Sot, Tak Province Thailand TEL. (055) 631620 FAX. (055) 544593 AFS: VTPMYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTPM AD 2.3 OPERATIONAL HOURS

1	AD Administration	HJ
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1100

VTPM AD 2.5 PASSENGER FACILITIES

1	Hotels	in the city
2	Restaurants	in the city

VTPM AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 4
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTPM AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTPM AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: Asphaltic concrete Strength: PCN/ 16 / F / C / X / T
2	Taxiway width, surface and strength	Width: 23 m Surface: Asphaltic concrete Strength: PCN/ 16 / F / C / X / T

VTPM AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	-
2	RWY and TWY markings and LGT	RWY and TWY: markings and lighted

VTPM AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling areas and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	1. DIST 600 m on radial 340 FM MST DVOR. 2. DIST1300 m on radial 270 FM MST DVOR. 3. Both painted red / white LGTD on top.
a	b	c	a	b	
-	Radio mast HGT 98 ft painted red/ white LGTD on top.	164000N 983300E	-	-	
	Radio mast HGT 82 ft painted red/ white LGTD on top.	164207N 983218E			
	Radio mast HGT 57 m	164138.2N 983129.9E			
	*2 Radio mast HGT 60 m (See RMK)				

VTST AD 2. AERODROMES

VTST AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTST- TRANG /TRANG AIRPORT

VTST AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	073031.02N 993656.79E	←
2	Direction and distance from (city)	7km S, from city	
3	Elevation/Reference temperature	67 ft / 31°C	
4	MAG VAR/Annual change	0° 27'W (2010) / 1'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Trang Airport Trang Airport Trang-palanan Road Amphone Muang, Trang Province 92000 Thailand. Tel. 0 7557 2151, 0 7557 2152, 0 7557 2153 Fax. 0 7557 2154 AFS : VTSTYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTST AD 2.3 OPERATIONAL HOURS

1	AD Administration	2300-1230 After this period 1 HR PN to ATC.
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	HJ
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1100
8	Fuelling	Nil

VTST AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	Nil
3	Fuelling facilities/capacity	Nil

VTST AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city
3	Transportation	Limousines

VTST AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 6
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTST AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTST AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Apron A: Surface: Asphaltic Concrete Strength: PCN 42/F/C/X/T Apron B: Surface: Concrete Strength: PCN 45/R/C/X/T
2	Taxiway width, surface and strength	Width: 23 M Surface: Asphaltic Concrete Strength: PCN 42/F/C/X/T

**VTST AD 2.9 SURFACE MOVEMENT GUIDANCE AND
CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Marked
2	RWY and TWY markings and LGT	RWY and TWY Markings and lighted

VTST AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling areas and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/ LGT	Coordinates	
a	b	c	a	b	
-	Radio mast HGT 36 m Painted red/ white LGTD on top.	0730.5N 09937.8E	-	-	

VTUU AD 2. AERODROMES

VTUU AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTUU – UBON/ UBON RATCHATHANI AIRPORT

VTUU AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	151504.59N 1045212.82E	←
2	Direction and distance from (city)	1 km N, from city	
3	Elevation/Reference temperature	406 ft/36°C	
4	MAG VAR/Annual change	0° 42'W (2010) / 2'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Ubon Ratchathani Airport Ubon Ratchathani Airport Amphone Muang, Ubon Ratchathani Province 34000 Thailand. TEL. (045) 245612-3 FAX. (045) 244406 AFS : VTUUYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTUU AD 2.3 OPERATIONAL HOURS

1	AD Administration	2300-1430 *After this period 1 HR PN to ATC.
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	2300-1430
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	H24
8	Fuelling	0100-1130

VTUU AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	JET A-1, AVGAS
3	Fuelling facilities/capacity	-

VTUU AD 2.5 PASSENGER FACILITIES

1	Hotels	in the city
2	Restaurants	In the city
3	Transportation	Limousine
4	Medical facilities	-
5	Bank and Post Office	Bank : Available Post office : Available
6	Tourist Office	Office in the city
7	Remarks	Nil

VTUU AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 8
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTUU AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTUU AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: Concrete Strength: PCN 61/R/C/X/T
2	Taxiway width, surface and strength	Width: 23 m Surface: Asphaltic concrete Strength: PCN 61/F/C/X/T

VTUU AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	-
2	RWY and TWY markings and LGT	RWY and TWY : Marked and lighted

VTUD AD 2. AERODROMES

VTUD AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VTUD- UDON THANI / UDON THANI AIRPORT

VTUD AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	172311.17N 1024717.69E	←
2	Direction and distance from (city)	3 km SW, from city	
3	Elevation/Reference temperature	579 ft 26°C	
4	MAG VAR/Annual change	0° 49'W (2010) / 2'W	←
5	AD Administration, address, telephone, telefax, telex, AFS	Director of Udon Thani Airport Udon Thani Airport Tambon Makkhaeng, Amphoe Muang, Udon Thani Province 41000 Thailand. TEL. (042) 244426 FAX. (042) 246804 AFS : VTUDYDYX	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VTUD AD 2.3 OPERATIONAL HOURS

1	AD Administration	2300-1430 *After this period 1 HR PN to ATC.
2	Customs and immigration	On request
3	Health and sanitation	On request
4	AIS Briefing Office	2300-1430
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	-
7	ATS	2300-1430 Other than this period 1 HR PN to ATC.
8	Fuelling	2300-1400

VTUD AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	Jet A-1, AVGAS
3	Fuelling facilities/capacity	1 JET A-1 Refueller @ 12,000 L 1 JET A-1 Refueller @ 8,000 L 1 AVGAS DC Motor Dispenser from drum 200 L

VTUD AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city
3	Transportation	Limousine

VTUD AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 8
2	Rescue equipment	Yes
3	Capability for removal of disabled aircraft	-
4	Remarks	Nil

VTUD AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	-
2	Clearance priorities	-
3	Remarks	The aerodrome is available all seasons.

VTUD AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: Concrete Strength: PCN 61/R/C/X/T
2	Taxiway width, surface and strength	Width: 23 M Surface: Concrete Strength PCN 61/R/C/X/T

**VTUD AD 2.9 SURFACE MOVEMENT GUIDANCE AND
CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Marked
2	RWY and TWY markings and LGT	RWY and TWY : Marked and lighted